

**Nicor Gas Energy Efficiency Program - Plan Year 2025
Quarterly Report: Fourth Quarter (October 1, 2025
through December 31, 2025)
Response to Evaluators' Recommendations**

APPENDIX B

Program	PY	Recommendation	Action Completion Date	Action(s) Taken
Home Energy Efficiency Rebates	2024	Measures: Advanced Thermostats Recommendation 1. Update the Household Factor for all Single Family advanced thermostats to 100%. Measures: Program Wide	7/16/2025	Nicor Gas modified the calculation lookups to ensure Residential Building Type matches Household Factor
Home Energy Savings	2024	Recommendation 1. Ensure that the zip code reported in the "Project" tab of the tracking data aligns with the county and the climate zone included in the tracking data. Measures: CFS Program	12/19/2025	Nicor Gas updated source data to allow for the all climate zones to be populated, and implemented QA/QC automation to ensure all Site state codes correctly show IL. Nicor Gas has updated the methodology for determining disadvantaged communities for midstream CFS projects.
Business Energy Efficiency Rebate	2025	Recommendation 17. Ensure the tracking data has enough information to properly identify if all measures are installed in disadvantaged communities for CFS projects. Measures: Boiler Pipe Insulation	12/1/2025	Nicor Gas updated the QA/QC process to ensure the quantity correctly matches the amount of Therms reported.
Home Energy Savings	2024	Recommendation 2. Ensure the correct quantity is reflected for Boiler Pipe Insulation in the tracking data. Update gross ex ante savings values for these four measures to reflect quantity 6 if that is the correct quantity. Measures: Program Wide	12/19/2025	Nicor Gas updated the system that applies the DAC NTG when the project is in a DAC area and applied the NPSO DAC interaction where appropriate.
Multi-Family	2024	Recommendation 1. If a measure has a deemed NTG value greater than 1.0 and it's in a DAC area, the ex-ante net savings reported should use the deemed NTG value instead of 1.0, in accordance with the Policy Manual 3.0. Measures: Multi-Family Direct Install	12/19/2025	Nicor Gas worked with partners to have NTG factors not apply to all measures in the MF DI program.
Multi-Family	2024	Recommendation 5. Ensure that NTG factors are not applied to gross savings. Measures: Multi-Family Direct Install	12/19/2025	Nicor Gas updated the system that applies the DAC NTG when the project is in a DAC area and applied the NPSO DAC interaction where appropriate.
Multi-Family	2024	Recommendation 6. Ensure that ex ante net savings are calculated and reported in accordance with the guidance in Policy Manual 3.0. Measures: Program Wide	12/19/2025	Nicor Gas updated the system that applies the DAC NTG when the project is in a DAC area and applied the NPSO DAC interaction where appropriate.
Energy Saving Kits	2024	Recommendation 1. If a measure has a deemed NTG value greater than 1.0 and it is in a DAC area, the ex-ante net savings reported should use the deemed NTG value of, in accordance with the Policy Manual 3.0. If the deemed NTG is less than 1.0 and multiplied by the NPSO results in a NTG lower than 1.0, then use the DAC NTG of 1.0. Measures: High Efficiency Boilers	12/19/2025	Nicor Gas has updated the efficiency inputs for boilers to align with the TRM.
Business Energy Efficiency Rebate	2024	Recommendation 9. Ensure ex ante savings from boilers align with the applicable IL TRM, and values reported in the tracking data consistently support ex ante savings calculations.	11/1/2025	
IE MF	2024	Measures: Boiler Tune Up – MF IE Recommendation 1. Include additional notes in the tracking data to describe the circumstance that led to reporting zero savings for any measures.	12/19/2025	Nicor Gas has worked with partners to resolve this tracking issue