

Nicor Gas Energy Efficiency Program - Plan Year 2026  
 Quarterly Report: First Quarter (January 1, 2026  
 through March 31, 2026)

APPENDIX B

Response to Evaluators' Recommendations

| Program   | PY   | Recommendation   | Action Completion Date | Action(s) Taken  |
|---|------|--|------------------------|--|
| Elementary Energy Education Kits                  | 2024 | <b>Measures:</b> EEE Kit<br><b>Recommendation 1.</b> Ensure that ex-ante savings within the tracking data are consistent with the savings from the IC calculators.   | 1/30/2026              | Nicor Gas has updated the tracking data to align with the kit savings calculations.                      |
| Income Eligible Energy Savings Kits               | 2024 | <b>Measures:</b> Program Wide<br><b>Recommendation 3.</b> If kit contents vary by delivery path, each version should be treated as a distinct kit and assigned a unique name in the tracking system.                             | 1/30/2026              | Nicor Gas has added a field to the tracking data to distinguish kit delivery paths.                      |
| Income Eligible Energy Savings Kits               | 2024 | <b>Measures:</b> ESK<br><b>Recommendation 1.</b> Ensure that per-kit savings are calculated using the algorithms and assumptions outlined in IL-TRM and are uniformly applied to all kits of the same type in the tracking data. | 1/30/2026              | Nicor Gas has updated the tracking data to align with the kit savings calculations.                      |
| Multifamily Market Rate Energy Efficiency Program | 2024 | <b>Measures:</b> Attic Insulation<br><b>Recommendation 2.</b> Review the savings algorithm for attic insulation and ensure the inputs used in the savings calculation are consistent with the IL-TRM (Section 5.6.5).            | 1/30/2026              | Nicor Gas has updated the savings calculations for attic insulation to align with the TRM.               |
| Multifamily Market Rate Energy Efficiency Program | 2024 | <b>Measures:</b> Boiler Tune-up<br><b>Recommendation 4.</b> Ensure that inputs used to calculate savings are recorded accurately in the tracking data.   | 1/30/2026              | Nicor Gas has increased QA QC to ensure boiler tune up savings inputs are captured in the tracking data. |