

Com Ed and Ameren Evaluation RFPs
Discussion Points
Ralph Prahl & Gil Peach

Issues Relevant to Both RFPs

- *Add language regarding requirement for coordination and collaboration between Com Ed and Ameren evaluation teams.*
- *Add language regarding need to comply with*
 - *future Illinois evaluation framework and protocols*
 - *uniform reporting formats to be developed as part of evaluation framework*
 - *Any other ICC requirements re: evaluation*
- *Add/refine language re: need to coordinate with/seek input from*
 - *SAG evaluation consultants (p. 2 Com Ed, p 1-5 Ameren)*
 - *SAG members*
 - *Other evaluation contractors, where applicable*
- *Add estimation of emissions reductions as an evaluation objective?*
- *Perhaps allow evaluator-performed market assessment activities outside of evaluation budget? (pp. 9-10 Com Ed, p. 2-8 Ameren)*
- *Bidders' lists*

Com Ed RFP

- *Generally well thought-out, but somewhat sketchy in places.*
- *Balance of effort between impact, process and market evaluation (pp. 2, 4)*
- *Downplaying of deemed savings measures (p. 4)*
- *Scope of coverage of net-to-gross issues (p. 4)*
- *Role of Com Ed evaluation contractor in establishing protocols (p. 5)*
- *Nature of evaluation plan and planning process (pp. 5-6)*
- *Level of detail on bid review criteria (p. 17)*

Ameren RFP

- *Unusually thoughtful, comprehensive and well-written.*
- *A number of components that might profitably be adapted for the Com Ed RFP.*
- *If eval contractor not responsible for evaluating DCEO programs, who is? (p. 1-3)*
- *Requirement that bidders submit two separate proposals if bidding on both Res and Non-Res (p. 1-2)*
- *Is it necessary to pin down Res and Non-Res funding in advance? (p. 5-3)*
- *References to establishing evaluation infrastructure (p. 1-1, 2-1)*
- *Strong preference for establishment of local office may dissuade bidders (p. 1-5)*
- *Timing of work on persistence, retention, and market effects (p. 2-2)*
- *May want to clarify that evaluators won't have primary responsibility for program tracking (pp. 2-5, 2-6)*

- What is basis for specification of 80/20 precision requirement? (p. 2-6)
- Why AIU's responsibility to determine capacity equivalence and peak demand reduction? (p. 2-9)