

COMED PROGRAMS NTG APPROACH FOR CY2019

FINAL – October 1, 2018

Table of Contents

Business Programs	1
Legacy Programs	1
Business Standard Incentive	1
Business Custom Incentive	3
Data Centers	5
Industrial Systems Optimization (Compressed Air in EPY4)	6
Retro-Commissioning	7
Business New Construction Service	8
BILD and MidStream Incentives	10
Small Business Energy Savings	12
Strategic Energy Management (SEM)	13
Energy Advisor Monitoring-based Commissioning (PowerTakeoff)	14
Business Energy Analyzer (Agentis Behavioral Program)	14
CHP	14
AirCare Plus (>100kW)	15
Small Commercial HVAC Tune-Up (AirCare Plus <=100kW)	15
Operational Savings	15
LED Street Lighting	15
Rural Small Business Energy Efficiency Kits	15
New Programs	15
Public Housing Authority	15
Voltage Optimization	15
Residential Programs	16
Legacy Programs	16
Residential Lighting – Smart Lighting Discounts	16
Fridge Freezer Recycling Rewards	21
Multifamily Market Rate	23
Home Energy Assessments (Single Family Retrofit)	25
Complete System Replacement (HEER)	29
Heating, Cooling and Weatherization Rebates	31
Residential New Construction	32
Elementary Energy Education	33
Energy Star Rebate (Appliances)	35
NTC Middle School Take Home Kits	36
New Program Pilots	37
Pilots and Third-Party Programs	38
Q-Sync Motor Pilot	38
Weidt Group New Construction	38
Regression Based EM&V Analysis	38
Programs No Longer Active	39
Advanced Power Strips for Commercial	39
PlotWatt Quick Serve Restaurant Optimization	39
Alltemp Advanced Refrigerant Pilot	39
Q-Coefficient Thermal Mass Energy Efficiency Pilot	39
Direct To Consumer Kits	39
PY6 Third-Party Programs	39
IPA Programs for PY8	39
IPA Programs for PY9	40

Business Programs

LEGACY PROGRAMS

	Business Standard Incentive
EPY1	<p>NTG 0.67 Free-Ridership 33% Participant Spillover 0% (qualitative evidence observed, not quantified) Method: Customer self-report. 95 interviews completed covering 101 projects from a population of 455 projects.</p>
EPY2	<p>NTG 0.74 Free-Ridership 27% Participant Spillover 1% Method: Customer self-report. 90 interviews completed covering 114 projects from a population of 1,739 projects. Enhanced method. Ten trade allies called for 11 participants and their responses factored in to the customer free ridership calculation.</p>
EPY3	<p>NTG 0.72 Free-Ridership 28% Participant Spillover 0% (qualitative evidence observed, not quantified) Method: Customer self-report. 108 interviews completed covering 292 projects from a population of 3,794 projects. Enhanced method. Two trade allies and three account managers were called for five participants and their responses factored in to the customer free ridership calculation.</p>
EPY4	<p>Deemed using PY2 values. PY4 Research NTG 0.70 Free-Ridership 31% Participant Spillover 1% Method: Customer self-report. 110 interviews completed covering 166 projects from a population of 4,603 projects. Enhanced method. Two trade allies called for two participants and their responses factored in to the customer free ridership calculation. NTGR (Free-Ridership only): All lighting =0.70 (90/±5%); Lighting, no T12s reported in base case 0.66 (90/±9%); Lighting, T12s reported in base case 0.80 (90/±14%) Non-Lighting = 0.63 (90/±16%).</p>
EPY5	<p>SAG Consensus:</p> <ul style="list-style-type: none"> Lighting: 0.74 Non-Lighting: 0.62
EPY6	<p>SAG Consensus:</p> <ul style="list-style-type: none"> Lighting: 0.70 Non-Lighting: 0.63
EPY7	<p>Lighting NTG: 0.81</p> <p>Free Ridership: Measured and equal to 0.26 Justification: EPY5 ComEd Standard Program research, 63 participants</p> <p>Total Recommended Spillover = 0.07</p> <p>Participant and Non-Participant Spillover Identified by Participating Standard Program Trade Allies: Measured and equal to 0.05 Justification: EPY5 ComEd Standard Program research, participating trade ally sample 55</p>

	<p>Business Standard Incentive</p> <p>Participant and Non-Participant Spillover Identified by Non-Participating Standard Program Trade Allies: Not measured for ComEd; a value of 0.02 is recommended Justification: Based on GPY2 results from Nicor Gas (0.02), and Peoples Gas and North Shore Gas (0.02).</p> <p>Non-Lighting NTG: 0.77</p> <p>Free Ridership: Measured and equal to 0.31 Justification: EPY5 ComEd Standard Program research, 64 participants</p> <p>Total Recommended Spillover = 0.08</p> <p>Participant and Non-Participant Spillover Identified by Participating Standard Program Trade Allies: Measured and equal to 0.06 Justification: EPY5 ComEd Standard Program research, participating trade ally sample 10.</p> <p>Participant and Non-Participant Spillover Identified by Non-Participating Standard Program Trade Allies: Not measured for ComEd; a value of 0.02 is recommended Justification: Based on GPY2 results from Nicor Gas (0.02), and Peoples Gas and North Shore Gas (0.02).</p>
EPY8	<p>Recommendation (based upon PY6 research): NTG Lighting: 0.74 NTG Non-Lighting: 0.63 Free-Ridership, Lighting: 0.27 Free-Ridership, Non-Lighting: 0.38 SO: 0.01</p> <p>Free Ridership was estimated in PY6 as 0.27 for lighting Free Ridership = 0.38 for non-lighting Both based on customer self-report data collected through phone interviews (n=59).</p> <p>In PY6, trade allies and business customers were interviewed in a separate study to estimate spillover broadly across the C&I market.</p> <p>The results of the cross-cutting C&I spillover study will be reported separately.</p>
EPY9	<p>Recommendation (based upon PY7 research): NTG Lighting: 0.70 NTG Non-Lighting: 0.69 Free-Ridership, Lighting: 0.31 Free-Ridership, Non-Lighting: 0.32 Spillover, Lighting: 0.01 Spillover, Non-Lighting: 0.01</p> <p>NTG Research Source: FR = PY7 Participant Customers and Trade Allies SO = PY6 C&I NTG study</p>
CY2018	<p>Recommendation (based upon PY7 and PY8 research): NTG Lighting: 0.71 NTG Non-Lighting: 0.70 Free-Ridership, Lighting: 0.31 Free-Ridership, Non-Lighting: 0.32 Spillover, Lighting: 0.02 Spillover, Non-Lighting: 0.02</p>

	Business Standard Incentive
	NTG Research Source: FR = PY7 Participant Customers and Trade Allies SO = PY8 TA and Contractor Self-Report
CY2019	Recommendation (based upon PY9 research): NTG Lighting: 0.83 NTG Non-Lighting: 0.78 Free-Ridership, Lighting: 0.19 Free-Ridership, Non-Lighting: 0.24 Spillover, Lighting: 0.02 Spillover, Non-Lighting: 0.02 NTG Research Source: FR = PY9 Participating Customer Surveys SO = PY9 Participating Customer Surveys

	Business Custom Incentive
EPY1	NTG 0.72 Free-Ridership 28% Spillover 0% Method: Customer self-reports. 24 surveys completed from a population of 88.
EPY2	NTG 0.76 Free-Ridership 24% Spillover 0% Method: Customer self-reports. 20 surveys completed from a population of 345.
EPY3	NTG 0.56 for kWh and 0.46 for kW Free-Ridership 44% Spillover 0% Method: Customer self-reports. 67 surveys completed from a population of 887.
EPY4	Deemed using PY2 = 0.76 PY4 Research NTG 0.61 for kWh and 0.64 for kW Free-Ridership 39% Spillover 0% Method: Customer self-reports. 63 surveys completed from a population of 367.
EPY5	SAG Consensus: <ul style="list-style-type: none"> 0.56
EPY6	SAG Consensus: <ul style="list-style-type: none"> 0.61 kWh (deemed by SAG for PY6) 0.64 kW (deemed by SAG for PY6) Values for kWh and kW are derived from PY4 evaluation research results and are based on the SAG-approved values.
EPY7	Custom NTG: 0.64 Free-Ridership: 0.36 Participants Spillover: Negligible Nonparticipants Spillover: Negligible Data Centers NTG: 0.48 Free-Ridership 0.52 Participants Spillover: Negligible Nonparticipants Spillover: Negligible Source: Participant self-report telephone survey. The spillover effects were examined in this evaluation and their magnitude was found to be quite small as discussed below in the

	<p>Business Custom Incentive</p> <p>spillover section. Therefore, a quantification of spillover was not included in the calculation of NTGR for EPY5. Notes: In PY5, Data Centers was combined with Custom, while in PY6, Data Centers was managed separately from with Custom.</p> <p>Interviews were completed with 5 of 11 Data Center projects.</p>
EPY8	<p>Recommendation (based upon PY6 research): Custom NTG: 0.67 Custom Free Ridership: 0.33 Custom Spillover: 0.005</p> <p>Custom: The above values are from the PY6 research results. NTG research methods in PY6 consisted of participant and trade allies survey data collection and analysis (n=32). NTG research methods in PY6 combined participant and service provider survey results.</p> <p>The existence of participant spillover was examined in PY6 but no significant spillover activity was reported by participants, and, therefore, quantification was not warranted.</p>
EPY9	<p>Custom NTG: 0.58 Custom Free Ridership: 0.42 Custom Spillover: Negligible</p> <p>NTG Research Source: Free-Ridership: PY7 Participant and vendor research Spillover: PY7 Participant self-report data</p>
CY2018	<p>Custom NTG kWh: 0.58 Custom NTG kW: 0.70 Custom Free Ridership kWh: 0.42 Custom Free Ridership kW: 0.30 Custom Spillover: Negligible</p> <p>NTG Research Source: Free-Ridership: PY7 Participant and vendor research Spillover: PY7 Participant self-report data</p> <p>The evaluation team performed telephone surveys in PY8, but the analysis will be performed and combined with PY9 findings.</p>
CY2019	<p>Custom NTG kWh: 0.56 Custom NTG kW: 0.58 Custom Free Ridership kWh: 0.44 Custom Free Ridership kW: 0.42 Custom Spillover: Negligible</p> <p>NTG Research Source: Free-Ridership: PY8 and PY9 Participating customer surveys Spillover: PY8 and PY9 Participating customer surveys</p> <p>The evaluation team performed telephone surveys in PY8, but deferred analysis until PY9. The recommended values are based on the combined PY8/9 results.</p>

	Data Centers
EPY7	<p>Data Centers NTG: 0.48 Free-Ridership 0.52 Participants Spillover: Negligible Nonparticipants Spillover: Negligible</p> <p>See EPY7 Custom Program</p>
EPY8	<p>Recommendation (based upon PY6 research): Data Center NTG kWh: 0.60 Data Center NTG kW: 0.57 Data Center Free Ridership kWh: 0.40 Data Center Free Ridership kW:0.43 Data Center Spillover: Negligible</p> <p>NTGR results were based on self-reported data from surveys of a census of PY6 projects.</p> <p>For PY6, the net program impacts were quantified solely on the estimated level of Free-Ridership. Information regarding participant spillover was also collected, but ultimately did not support a finding of any spillover – spillover was very small.</p>
EPY9	<p>Data Center NTG: 0.68 Data Center Free Ridership: 0.36 Data Center Spillover: Negligible</p> <p>NTG Research Source: Free-Ridership: PY7 Participant and vendor self-report data Spillover: PY7 Participant and vendor self-report data</p>
CY2018	<p>Data Center NTG kWh and kW: 0.68 Data Center Free Ridership kWh and kW: 0.32 Data Center Spillover: Negligible</p> <p>NTG Research Source: Free-Ridership: PY7 Participant and vendor self-report data Spillover: PY7 Participant and vendor self-report data</p> <p>The evaluation team performed telephone surveys in PY8, but the analysis will be performed and combined with PY9 findings.</p>
CY2019	<p>Data Center Co-Locations: New Construction NTG kWh and kW: 0.20 Data Center Co-Locations: New Construction Free Ridership kWh and kW: 0.80 Data Center Co-Locations Spillover: Negligible</p> <p>Data Center Co-Locations: Retrofit NTG kWh and kW: 0.72 Data Center Co-Locations: Retrofit Free Ridership kWh and kW: 0.28 Data Center Co-Locations Spillover: Negligible</p> <p>Data Center Non-Co-Locations NTG kWh and kW: 0.71 Data Center Non-Co-Locations Free Ridership kWh and kW: 0.29 Data Center Non-Co-Locations Spillover: Negligible</p> <p>NTG Research Source: Free-Ridership: PY8 and PY9 Participating customer surveys Spillover: PY8 and PY9 Participating customer surveys</p> <p>The evaluation team performed telephone surveys in PY8, but deferred analysis until PY9. The recommended values are based on the combined PY8/9 results.</p>

Industrial Systems Optimization (Compressed Air in EPY4)	
EPY1	Program did not exist
EPY2	Program did not exist
EPY3	Program did not exist
EPY4	Retroactive application of NTG of 0.67 for kWh and 0.72 for kW (EPY4 Compressed Air) Free-Ridership 33% kWh and 0.28 kW Spillover 0% Method: Customer self-report. 7 surveys completed from a population of 9.
EPY5	SAG Consensus: • 0.67
EPY6	SAG Consensus: • 0.67
EPY7	NTG: 0.68 Free-Ridership: 0.33 Participant Spillover: 0.01 Nonparticipant Spillover: Negligible Free Ridership and participant spillover was measured in a participant survey on 35 projects. Interviews were completed with 5 of 11 Data Center projects.
EPY8	Recommendation (based upon PY6 research): NTG, kWh: 0.74 Free Ridership, kWh: 0.26 Spillover, kWh: Negligible NTG, kW: 0.83 Free Ridership, kW: 0.17 Spillover, kW: Negligible NTG research methods in PY6 consisted of participant and technical service provider survey data collection and analysis (n=17). The net program impacts were quantified solely on the estimated level of Free-Ridership. Information regarding participant spillover was also collected, but ultimately did not support a finding of any spillover.
EPY9	Industrial Systems NTG: 0.80 Industrial Systems Free Ridership: 0.20 Industrial Systems Spillover: Negligible NTG Research Source: Free-Ridership: PY7 Participant and vendor self-report data Spillover: PY7 Participant and vendor self-report data
CY2018	Industrial Systems NTG kWh: 0.80 Industrial Systems NTG kW: 0.81 Industrial Systems Free Ridership kWh: 0.20 Industrial Systems Free Ridership kW: 0.19 Industrial Systems Spillover: Negligible NTG Research Source: Free-Ridership: PY7 Participant and vendor self-report data Spillover: PY7 Participant and vendor self-report data The evaluation team performed telephone surveys in PY8, but the analysis will be performed and combined with PY9 findings.
CY2019	Industrial Systems NTG kWh: 0.77 Industrial Systems NTG kW: 0.78 Industrial Systems Free Ridership kWh: 0.23

	<p>Industrial Systems Free Ridership kW: 0.22 Industrial Systems Spillover: Negligible</p> <p>NTG Research Source: Free-Ridership: PY8 and PY9 Participating customer surveys Spillover: PY8 and PY9 Participating customer surveys</p> <p>The evaluation team performed telephone surveys in PY8, but deferred analysis until PY9. The recommended values are based on the combined PY8/9 results.</p>
--	---

	Retro-Commissioning
EPY1	<p>NTG 0.8 Free-Ridership 0% Spillover 0% Method: Program <i>ex ante</i> assumption. Customer self-report. Two completed surveys from a population of four participants bracketed the assumed NTG. Basic method.</p>
EPY2	<p>NTG 0.916 Free-Ridership 8.4% Spillover 0% Method: Customer self-report. Five surveys completed from an attempted census of a population of thirteen. Basic method.</p>
EPY3	<p>NTG 0.71 Free-Ridership 28.7% Spillover 0% Method: Customer self-report. Eight surveys completed from an attempted census of a population of 34 participants. Basic method.</p>
EPY4	<p>Deemed NTG of 0.916 from EPY2 Research NTG 1.04 Free-Ridership 0.097 Spillover 0.136 Method: Program <i>ex ante</i> assumption and stipulated for EPY4. NTG based on EPY2 research. EPY3 research rejected due to small ratio of completed surveys.</p>
EPY5	<p>SAG Consensus:</p> <ul style="list-style-type: none"> • 0.71
EPY6	<p>SAG Consensus:</p> <ul style="list-style-type: none"> • 1.04
EPY7	<p>NTG: 1.04 There was no new NTG research in EPY5. The most recent NTG research is from PY4. Free-Ridership: 0.10. The PY4 Free-Ridership ratio is an equally weighted average of savings-weighted participant and service provider Free-Ridership scores.</p> <p>Participant spillover: 0.14. Source: Participant and trade ally surveys. (Includes spillover from trade allies that account for 94% of program participation)</p> <p>Nonparticipant spillover: Negligible. There is no evidence of non-participant spillover. Service providers are dropped from the program if they are not generating projects. If they are not generating projects in the program, they are probably not generating them outside the program.</p>
EPY8	<p>Recommendation (based upon PY6 research): NTG: 0.95 (electric) Free Ridership: 0.09 (electric) Spillover: 0.04 (electric)</p>

	Retro-Commissioning
	<p>Spillover and Free-Ridership were calculated from self-report interviews with participants and service providers (n=18). The final EPY6 Free-Ridership ratio is an equally weighted average of savings-weighted participant and RSP Free-Ridership. Interviewed service providers account for 92% of electric savings.</p> <p>NTG research was not conducted for the gas companies.</p>
EPY9	<p>NTG: 0.95 (electric) Free Ridership: 0.09 (electric) Spillover: 0.04 (electric)</p> <p>NTG Source: Free-Ridership and Spillover: PY6 NTG Research</p>
CY2018	<p>NTG: 0.95 (electric) Free Ridership: 0.09 (electric) Spillover: 0.04 (electric)</p> <p>NTG Source: Free-Ridership and Spillover: PY6 NTG Research Due to limited sample size of PY8 NTG research, EPY8 results will be included in EPY9 research and analysis.</p>
CY2019	<p>NTG: 0.94 (electric) Free Ridership: 0.06 (electric) Spillover: 0.00</p> <p>NTG Source: Free-Ridership and Spillover: PY9 participating customer surveys and PY9 service provider surveys Note: Applies to all program paths.</p>

	Business New Construction Service
EPY1	NTG was not evaluated for EPY1 because program began in EPY2.
EPY2	<p>NTG 0.59 Free-Ridership 41% Spillover 0% Method: Customer self-report. 14 projects were assessed from a population of 16. Enhanced method. NTG scores were adjusted for standard design national retail stores.</p>
EPY3	<p>NTG 0.65 (0.69 for Systems Track and 0.54 for Comprehensive Track) Free-Ridership 35% Spillover 0% Method: Customer self-report. 13 interviews with individuals representing 15 projects out of population of 37 projects. Enhanced method. NTG scores were adjusted for standard design national retail stores.</p>
EPY4	<p>Compressive Track – Retroactive application of NTG of 0.54 Systems Track used PY2 value of 0.59</p> <p>NTG 0.57 (based on weighted avg. of 0.59 for Systems Track and 0.54 for Comprehensive Track) EPY4 Research Comprehensive Track 0.54 EPY4 Research Systems Track 0.59 Free-Ridership 43% Spillover 0%</p>

	Business New Construction Service
	Method: EPY3 deemed value for Systems Track projects. Customer self-report for Comprehensive Track projects. Interviews with individuals representing 5 of 6 Comprehensive Track projects. Enhanced method. NTG scores were adjusted for standard design national retail stores and LEED projects.
EPY5	SAG Consensus: <ul style="list-style-type: none"> • 0.65
EPY6	SAG Consensus: <ul style="list-style-type: none"> • 0.52
EPY7	<p>Full Program NTG: 0.59 Comprehensive NTG: 0.59 Systems Projects NTG: 0.64</p> <p>Free-Ridership 0.43 Spillover (all types) 0.05</p> <p>Source. The NTG from estimate is from the EM&V EPY4 participant survey. Spillover is an EM&V estimate based on our literature review. In 50 participant interviews from EPY2-4 we found 2 spillover projects. Some of those interviews were early in the program's life when spillover is less likely. We also looked at existing literature on past studies and a wide range of spillover values. For example, in September of 2012, National Grid Rhode Island published a study: "2011 Commercial and Industrial Programs Free-Ridership and Spillover Study." For commercial new construction, they found 78% participant spillover and 0% non-participant spillover. Southern California Gas recently did a study to estimate spillover for its 2013 and 2014 Savings By Design program by looking at past studies. They only found a couple of older California studies relevant to commercial new construction. The 2003 BEA reported 11% participant spillover and 1% non-participant spillover. A 2002 study by the same evaluator showed 13% participant spillover and 5% non-participant spillover. Finally, they also looked at the NYSERDA New Construction Program Impact Evaluation Report from 2007-2008, which found participant spillover of 20% and non-participant spillover of 61%. This study has been questioned and we understand that NYSERDA is reevaluating its validity.</p> <p>Our conclusion is that, given the ComEd program design and implementation approach, it is reasonable to expect that a meaningful amount of spillover is being created and should be credited to the program. Given the range of spillover amounts we found in our literature review, we believe a spillover amount of 5% is probably a realistic and probably conservative estimate. That spillover is probably occurring through the action of architects, engineers, and builders who have had exposure to the program and, to a lesser degree, building owners who had a building go through the program. Given that mix, we have not tried to differentiate between participant and nonparticipant spillover.</p>
EPY8	<p>Recommendation (based upon PY6 research): Full Program NTG: 0.80 – Preliminary, updated number to be provided later</p> <p>Free-Ridership: 0.20 Spillover: 0.00</p> <p>The researched NTGRs are being developed using a “real-time” approach where the evaluation team conducts interviews with program participants both after each project passes the reservation phase, and again after it passes the verification phase.</p>
EPY9	<p>Full Program NTG: 0.77 Free-Ridership: 0.23 Spillover: 0.00</p>

Business New Construction Service													
	<p>NTG Research Source: Free-Ridership: Participant and service provider self-report through real time EMV Spillover: NTG real time research methods in EPY6 combine participant and service provider survey results.</p>												
CY2018	<p>Full Program NTG: 0.60 Free-Ridership: 0.40 Spillover: 0.00</p> <p>NTG Research Source: Free-Ridership: PY8 Participant and service provider self-report through real time EMV Spillover: NTG real time research methods in EPY6 combine participant and service provider survey results.</p>												
CY2019	<p>Full Program NTG: 0.68 Free-Ridership: NA Spillover: NA</p> <p>NTG Research Source:</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Year of Research</th> <th>Electric</th> </tr> </thead> <tbody> <tr> <td>EPY6/GPY3</td> <td>0.80</td> </tr> <tr> <td>EPY7/GPY4</td> <td>0.77</td> </tr> <tr> <td>EPY8/GPY5</td> <td>0.60</td> </tr> <tr> <td>EPY9/GPY6</td> <td>0.54</td> </tr> <tr> <td>4-Year Average</td> <td>0.68</td> </tr> </tbody> </table> <p style="text-align: center;">Average of four most recent years of NTG research, as per SAG consensus</p>	Year of Research	Electric	EPY6/GPY3	0.80	EPY7/GPY4	0.77	EPY8/GPY5	0.60	EPY9/GPY6	0.54	4-Year Average	0.68
Year of Research	Electric												
EPY6/GPY3	0.80												
EPY7/GPY4	0.77												
EPY8/GPY5	0.60												
EPY9/GPY6	0.54												
4-Year Average	0.68												

BILD and MidStream Incentives	
EPY1	N/A No Program
EPY2	N/A No Program
EPY3	N/A Pilot Program – no data collection
EPY4	<p>Retroactive application of NTG of 0.63 Free-Ridership 39% Spillover 2% Method: Customer self-report. 51 surveys completed from a population of about 5,000 (contact information available for only a small subset of participants). 11 Trade ally surveys also conducted resulting in a NTG of 0.56 but this result was not factored in to the customer free ridership calculation.</p>
EPY5	SAG Consensus: <ul style="list-style-type: none"> 0.74
EPY6	SAG Consensus: <ul style="list-style-type: none"> 0.63
EPY7	<p>NTG CFL: 0.64 (EPY4 and EPY5 weighted average. EPY5 CFL NTG is 0.66) NTG LED/HID: 0.70 NTG Linear FL: 0.56 NTG Other: 0.67</p>

	<p>BILD and MidStream Incentives</p> <p>Free Ridership: CFLs 0.41; LEDs 0.38; Linear Fluorescents 0.47; other 0.40.</p> <p>Participant Spillover: CFLs 0.07; LEDs 0.08; Linear Fluorescents 0.03; Other 0.07</p> <p>Nonparticipant Spillover: Negligible. There are very few (perhaps as few as 1 or 2) midstream lighting programs offered around the country and the others are very small and new, have not yet been evaluated, and thus provide no research on nonparticipant spillover. Given how this program is administered it is likely that nonparticipant spillover would be very small.</p> <p>Source: PY5 participant and distributor self-report surveys. Notes: In PY5, Midstream Incentive Lighting was renamed BILD.</p>
EPY8	<p>Recommendation (based upon PY6 research): NTG CFL: 0.68 NTG LED/HID: 0.77 NTG Linear FL: 0.61 NTG Other: 0.68</p> <p>Research NTG ratios calculated from PY6 participants: PY6 NTG CFL: 0.68 Free Ridership CFL: 0.39 Spillover CFL: 0.07</p> <p>PY6 NTG LED/HID: 0.77 Free Ridership: 0.30 Spillover LED/HID: 0.07</p> <p>PY6 NTG Linear FL: 0.61 Free Ridership: 0.45 Spillover Linear FL: 0.07</p> <p>PY6 NTG Other: 0.67 Free Ridership: 0.40 Spillover: 0.07</p> <p>In PY6, two primary methods were used to estimate the NTGR: 1. Customer self-report approach based on the end-user telephone surveys of 282 participants and in-depth interviews with 9 BILD end-user participants. 2. Supplier self-reports based on in-depth interviews with program lighting distributors.</p>
EPY9	<p>NTG CFL: 0.64 Spillover, CFL: 0.10 Free-Ridership, CFL: 0.46</p> <p>NTG LED: 0.78 Spillover, LED: 0.10 Free-Ridership, LED: 0.32</p> <p>NTG Linear FL: 0.75 Spillover, Linear FL: 0.10 Free-Ridership, Linear FL: 0.35</p> <p>NTG Other: 0.78 Spillover, Other: 0.10 Free-Ridership, Other: 0.32</p>

BILD and MidStream Incentives	
	<p>NTG Research Sources: PY7 Research – Free-Ridership and Spillover: Customer self-report research via telephone and web surveys, plus web surveys sent to all participating distributors. Note: Recommended values are PY7 Researched values (not three year averages).</p>
CY2018	<p>NTG LED Lamps and Fixtures: 0.78 Spillover, LED Lamps and Fixtures: 0.10 Free-Ridership, LED Lamps and Fixtures: 0.32</p> <p>NTG Linear FL: 0.75 Spillover, Linear FL: 0.10 Free-Ridership, Linear FL: 0.35</p> <p>LED Exit Signs, Linear LED, Battery Chargers, and all “Other”: NTG of the default value of 0.80 until research can be done.</p> <p>NTG Research Sources: For LED Lamps and Fixtures and for Linear FL: PY7 Research – Free-Ridership and Spillover: Customer self-report research via telephone and web surveys, plus web surveys sent to all participating distributors. Note: Recommended values are PY7 Researched values (not three year averages).</p>
CY2019	<p>NTG LED Lamps and Fixtures: 0.83 Spillover, LED Lamps and Fixtures: 0.14 Free-Ridership, LED Lamps and Fixtures: 0.31</p> <p>NTG Linear FL: 0.67 Spillover, Linear FL: 0.14 Free-Ridership, Linear FL: 0.47</p> <p>LED Exit Signs, Linear LED, Battery Chargers, and all “Other”: NTG of the default value of 0.80 until research can be done.</p> <p>NTG Research Sources: For LED Lamps and Fixtures and for Linear FL (Free-Ridership and Spillover): Customer self-report research via telephone and web surveys, plus web surveys sent to all participating distributors.</p>

Small Business Energy Savings	
EPY1	No Program
EPY2	No Program
EPY3	No Program
EPY4	<p>Retroactive application of NTG of 0.95 Free-Ridership 5% Spillover 0% Method: Customer self-report. 84 NTG surveys completed from a population of 181. Basic method of NTG analysis was used. No spillover was found. Customer participant self-reported Free-Ridership was 17 percent for ComEd. Individual trade ally responses to Free-Ridership questions were weighted by their respective fuel-specific program savings contributions and combined for a fuel-specific overall Free-Ridership rate. This approach resulted in an evaluation estimate of 5 percent Free-Ridership for electric measures and was used to calculate the NTG of 0.95 for this ComEd program.</p>
EPY5	SAG Consensus: 0.90

Small Business Energy Savings	
EPY6	SAG Consensus: 0.95
EPY7	<p>NTG: 0.95 No new NTG research in PY5. Free Ridership: 5%. Customer self-report survey. Participant Spillover: 0% Customer and trade ally self-report survey. Nonparticipant Spillover: 0% Trade ally survey Three small participant spillover projects were included in the ComEd NTGR, but the impact (about 0.003 added) was not significant at the two-digit level. Trade allies provided anecdotal evidence of non-participant spillover for electric measures, but they did not provide enough information to quantify it.</p>
EPY8	<p>Recommendation (based on average of PY7 Participant Survey & PY4 TA Interviews): NTG: 0.91 Free-Ridership: 0.11 (based upon average of PY7 Participant Survey of FR 0.16 and PY4 TA Interviews FR 0.05) Participant Spillover: 0.02 (based upon PY7 SO research) Nonparticipant spillover: 0.0</p>
EPY9	<p>NTG: 0.89 Free-Ridership: 0.11 Participant Spillover: 0.02 (based on PY7 SO Research) Nonparticipant spillover: 0.0</p> <p>NTG Research Source: PY 7 Research – Free-Ridership and Spillover: Participant and TA self-report, real-time approach Free-Ridership: 0.11 – (based upon average of PY7 Participant Survey of FR 0.16 and PY4 TA Interviews FR 0.05) Participant Spillover: 0.02 (based upon PY7 SO research) Nonparticipant spillover: 0.0</p>
CY2018	<p>NTG: 0.91 Free-Ridership: 0.11 Participant Spillover: 0.02 (based on PY7 SO Research) Nonparticipant spillover: 0.0</p> <p>NTG Research Source: PY 7 Research – Free-Ridership and Spillover: Participant and TA self-report, real-time approach Free-Ridership: 0.11 – (based upon average of PY7 Participant Survey of FR 0.16 and PY4 TA Interviews FR 0.05) Participant Spillover: 0.02 (based upon PY7 SO research) Nonparticipant spillover: 0.0</p>
CY2019	<p>NTG: 0.92 Free-Ridership: 0.10 - (based upon 46/54 participant/TA weighting from TRM v7 method applied to PY7 research) Participant Spillover: 0.02 (based on PY7 SO Research) Nonparticipant spillover: 0.0</p> <p>NTG Research Source: Participant and TA self-report (real time) - FR & SO are based upon PY7 Participant Surveys and updated TA interviews (PY8)</p>
Strategic Energy Management (SEM)	
EPY9	<p>NTG: 1.0</p> <p>EM&V impact analysis (regression) will create net savings, not adjusted gross therefore EM&V does not calculate a NTG ratio that could be applied prospectively.</p>
CY2018	NTG: 0.95

	Strategic Energy Management (SEM)
	<p>Free Ridership: 0.09 Spillover: 0.04</p> <p>NTG Source: Free-Ridership and Spillover: PY6 RCx NTG Research</p> <p>Determined to be more similar to RCx, with project-based impact analysis, than to a program amenable to regression analysis.</p>
CY2019	<p>NTG: 1.0</p> <p>NTG Source: No program-specific research available yet. The program approach is substantially more hands-on and long lasting and internal-capability building than RCx, which implies a higher NTG ratio than RCx (which is 0.94).</p>

	Energy Advisor Monitoring-based Commissioning (PowerTakeoff)
EPY9	<p>NTG: 1.00 Based upon ComEd program detail outlining behavioral program and assumes impact analysis is based on regression analysis.</p>
CY2018	<p>NTG: NA Based upon ComEd program detail outlining behavioral program and assumes impact analysis is based on regression analysis.</p>
CY2019	<p>NTG: 1.00</p> <p>NTG Source: NTG SAG Consensus which acknowledges that the program is similar to RCx except that participants are customers who have consistently demonstrated having taken no EE actions.</p>

	Business Energy Analyzer (Agentis Behavioral Program)
EPY8	<p>NTG: NA EM&V impact analysis (regression) will create net savings, not adjusted gross therefore EM&V does not calculate a NTG ratio that could be applied prospectively.</p>
EPY9	<p>NTG: NA EM&V impact analysis (regression) will create net savings, not adjusted gross therefore EM&V does not calculate a NTG ratio that could be applied prospectively.</p>
CY2018	<p>NTG: NA EM&V impact analysis (regression) will create net savings, not adjusted gross therefore EM&V does not calculate a NTG ratio that could be applied prospectively.</p>
CY2019	<p>NTG: 0.94 Free Ridership: 0.06 Spillover: 0.00</p> <p>NTG Source: Free-Ridership and Spillover: RCx PY9 Research</p> <p>The program is similar to RCx and the impact analysis will NOT produce net savings.</p>

	CHP
EPY8	<p>NTG: 0.68 Based upon PY6 Custom Program</p>
EPY9	<p>NTG: Project-specific NTG values to be determined by evaluation early in each project. If that is not possible, the default of 0.8 NTG will be used.</p> <p>Background:</p>

	CHP
	0.8 is the rounded average of PY7 Custom research NTG and NYSERDA's 0.9 NTG.
CY2018	Program not active in PY10.
CY2019	Recommending the use of an ex-post value.

	AirCare Plus (>100kW)
CY2018	NTG: 0.90 PY7 Secondary Research
CY2019	NTG: 0.90 PY7 Secondary Research

	Small Commercial HVAC Tune-Up (AirCare Plus <=100kW)
EPY8	NTG: 0.90 Based on Multi-Family research. Research was 0.92; conservatively recommended 0.90
EPY9	NTG: 0.90 PY8 SAG Consensus
CY2018	NTG: 0.90 PY8 SAG Consensus
CY2019	NTG: 0.90 PY8 SAG Consensus

	Operational Savings
CY2018	NTG: 0.91 Similar to RCx.
CY2019	NTG: 0.94 Free-Ridership: 0.06 Spillover: 0.00 Source: RCx PY9 Research

	LED Street Lighting
CY2018	NTG: 1.0
CY2019	NTG: 1.0, Will conduct primary NTG research in CY2018 on municipally-owned lights

	Rural Small Business Energy Efficiency Kits
CY2018	NTG: 0.90 NTG Source: Similar to Ameren SB (0.89), rounded up
CY2019	NTG: 0.89 NTG Source: Ameren SB

NEW PROGRAMS

	Public Housing Authority
CY2019	NTG: 1.0

	Voltage Optimization
CY2019	NTG: NA

Residential Programs

LEGACY PROGRAMS

	Residential Lighting – Smart Lighting Discounts
EPY1	<p>NTG 0.69 Free-Ridership 38% Spillover 7% Method: Customer self-report. Based on phone surveys with 100 coupon participants and 56 identified participants identified in a general population survey.</p>
EPY2	<p>NTG 0.58 Free-Ridership 48% Spillover 6% Method: Average of two customer self-report methods (based on general population survey [201 completes] and in-store intercept surveys [381 completes]). A supplier self-report method (22 surveys) and a revealed preference demand model method were also employed and resulted in lower NTGR estimates but were believed to be less accurate methods.</p>
EPY3	<p>NTG 0.71 Free-Ridership 31% Spillover 2% Method: A customer self-report method based on in-store intercept surveys [496 completes]. A supplier self-report method (13 surveys) and a multi-state regression model was also employed and resulted in lower NTGR estimates but were believed to be less accurate methods.</p>
EPY4	<p>Deemed using PY2 values EPY4 Research NTG 0.54 Total, 0.55 Standard, 0.44 Specialty, 0.54 Other – Fixture/LEDs Free-Ridership 47% Standard, 58% Specialty, 48% Other – Fixture/LEDs Spillover 2% Method: Customer self-report method based on in-store intercept surveys (719 intercept surveys).</p>
PY5	<p>SAG Consensus:</p> <ul style="list-style-type: none"> • Standard CFL: 0.72 • Specialty CFL: 0.80 • CFL Fixtures: 0.79
EPY6	<p>SAG Consensus:</p> <ul style="list-style-type: none"> • Standard CFL: 0.54 • Specialty CFL: 0.80 • CFL Fixtures: 0.54
EPY7	<p>NTG (based upon 3 year weighted average): Standard CFL: 0.60 Specialty CFL: 0.55 CFL Fixtures: 0.75 LED Bulbs: 0.48 LED Fixtures: 0.54 Coupon: 0.55</p> <p>Source: EPY5 in-store intercept surveys. 3 year average NTG for Standard and Specialty CFLs. EM&V estimate for CFL Fixtures, LED Bulbs, and LED Fixtures. Rationale: They are higher priced and less common products so the barrier to adoption is higher, meaning the incentive has relatively more impact on the purchase decision than for the more common standard and specialty CFLs. Participant Spillover: 0.01 all bulb types. Source: EPY5 in-store intercept surveys.</p>

Residential Lighting – Smart Lighting Discounts

Nonparticipant Spillover: 0.003 all bulb types. Source: EPY5 in-store intercept surveys. 477 nonparticipants interviewed.

Table E-1. 3-Year Average Standard and Specialty NTGR for ComEd

Program Year	Standard CFLs		Specialty CFLs	
	Bulbs	NTGR	Bulbs	NTGR
EPY3	9,893,196	71%	1,217,723	71%
EPY4	11,419,752	55%	1,097,670	44%
EPY5	9,633,227	55%	1,197,896	48%
3-year Weighted Average for EPY7	-	60%	-	55%

Source: Navigant team analysis.

Table 11 – PY5 FR, Spillover and NTGR Estimates Compared to Prior Program Years (From NTG Memo)

Net Impact Parameters	Population	PY5	PY4	PY3	PY2
Free-Ridership	Standard CFLs	0.47	0.47	--	--
	Specialty CFLs	0.53	0.58	--	--
	All Program Bulbs	0.48	0.48	0.31	0.46
Spillover	Standard CFLs	0.02	0.02		
	Specialty CFLs	0.02	0.02		
	All Program Bulbs	0.02	0.02	0.02	0.05
NTGR	Standard CFLs	0.54	0.55		
	Specialty CFLs	0.48	0.44		
	All Program Bulbs	0.54	0.54	0.71	0.60

EPY8

Recommendation (based upon PY6 research):

NTG Standard CFL: 0.59
NTG Specialty CFL: 0.54
NTG CFL Fixtures: 0.56
NTG LED Bulbs: 0.73
NTG LED Fixtures: 0.73
NTG Coupon: As above

PY6 NTG Research:

NTG Standard CFL: 0.59
 Free Ridership Standard CFL: 0.41
 Spillover Standard CFL: 0.01

PY6 NTG Specialty CFL: 0.54
 Free Ridership Specialty CFL: 0.47
 Spillover Specialty CFL: 0.01

PY6 NTG CFL Fixtures: 0.54 (no research in PY6)
 CFL Fixtures FR: none
 CFL Fixtures SO: none

Residential Lighting – Smart Lighting Discounts	
	PY6 NTG LED Bulbs: 0.73 FR LED Bulbs: 0.44 SO LED Bulbs: 0.17 PY6 NTG LED Fixtures: 0.73 FR LED Fixtures: 0.44 SO LED Fixtures: 0.17
EPY9	<p>NTG Standard CFL: 0.57 NTG Specialty CFL: 0.43 (from previous research) NTG CFL Fixtures: 0.56 (from previous research) NTG LED Bulbs – Omnidirectional: 0.58 NTG LED Bulbs – Directional: 0.60 NTG LED Fixtures: 0.73 (from previous research) NTG Coupon: As above (from previous research)</p> <p>PY8 NTG Research: NTG Standard CFL: 0.57 Free Ridership Standard CFL: 0.45 Participant Spillover Standard CFL: 0.005 Nonparticipant Spillover Standard CFL: 0.008</p> <p>PY6 NTG Specialty CFL: 0.43 Free Ridership Specialty CFL: 0.59 Spillover Specialty CFL: 0.02</p> <p>PY6 NTG CFL Fixtures: 0.56* (no research in PY7, PY8 SAG Consensus Value) CFL Fixtures FR: none CFL Fixtures SO: none</p> <p>PY8 NTG LED Bulbs – Omni-Directional: 0.58 FR LED Bulbs – Omni-Directional: 0.49 Participant spillover LED Bulbs – Omni-Directional: 0.009 Nonparticipant spillover LED Bulbs – Omni-Directional: 0.065</p> <p>PY8 NTG LED Bulbs – Directional: 0.60 FR LED Bulbs – Directional: 0.42 Participant spillover LED Bulbs – Directional: 0.009 Nonparticipant spillover LED Bulbs – Directional: 0.014</p> <p>PY6 NTG LED Fixtures: 0.73 FR LED Fixtures: 0.44 SO LED Fixtures: 0.17</p> <p>NTG Research Source: PY8 In-store intercept survey, results weighted on projected sales. *Note: The CFL fixtures NTG ratio is from the PY8 SAG consensus value and is consistent with Standard & Specialty CFLs, "fixtures" is discontinued in PY7</p>

Residential Lighting – Smart Lighting Discounts	
CY2018	<p>NTG Standard CFL: 0.54 NTG Specialty CFL: 0.43 NTG CFL Fixtures: 0.56 NTG LED Bulbs – Omnidirectional: 0.58 NTG LED Bulbs – Directional: 0.58 NTG LED Fixtures: 0.73 NTG Coupon: As above</p> <p>PY8 NTG Research: NTG Standard CFL: 0.54 Free Ridership Standard CFL: 0.47 Participant Spillover Standard CFL: 0.004 Nonparticipant Spillover Standard CFL: 0.010</p> <p>PY6 NTG Specialty CFL: 0.43 Free Ridership Specialty CFL: 0.59 Spillover Specialty CFL: 0.02</p> <p>PY6 NTG CFL Fixtures: 0.56* (no research in PY7, PY8 SAG Consensus Value) CFL Fixtures FR: none CFL Fixtures SO: none</p> <p>PY8 NTG LED Bulbs – Omni-Directional: 0.58 FR LED Bulbs – Omni-Directional: 0.49 Participant spillover LED Bulbs – Omni-Directional: 0.009 Nonparticipant spillover LED Bulbs – Omni-Directional: 0.058</p> <p>PY8 NTG LED Bulbs – Directional: 0.58 FR LED Bulbs – Directional: 0.45 Participant spillover LED Bulbs – Directional: 0.009 Nonparticipant spillover LED Bulbs – Directional: 0.026</p> <p>PY6 NTG LED Fixtures: 0.73 FR LED Fixtures: 0.44 SO LED Fixtures: 0.17</p> <p>NTG Research Source: PY8 In-store intercept survey, results weighted on verified savings.</p>

Residential Lighting – Smart Lighting Discounts	
CY2019	<p>NTG Standard CFL: Not active CY2019 NTG Specialty CFL: Not active CY2019 NTG CFL Fixtures: Not active CY2019 NTG LED Fixtures: Not active CY2019 NTG Coupon: Not active CY2019 NTG LED Bulbs – Omnidirectional: 0.67 NTG LED Bulbs – Directional: 0.61 NTG LED Bulbs – Specialty: 0.53*</p> <p>PY9 NTG Research: PY9 NTG LED Bulbs – Omni-Directional: 0.67 FR LED Bulbs – Omni-Directional: 0.41 Participant spillover LED Bulbs – Omni-Directional: 0.02 Nonparticipant spillover LED Bulbs – Omni-Directional: 0.06</p> <p>PY9 NTG LED Bulbs – Directional: 0.61 FR LED Bulbs – Directional: 0.47 Participant spillover LED Bulbs – Directional: 0.02 Nonparticipant spillover LED Bulbs – Directional: 0.06</p> <p>PY9 NTG LED Bulbs – Specialty: 0.53 FR LED Bulbs – Specialty: 0.55 Participant spillover LED Bulbs – Specialty: 0.02 Nonparticipant spillover LED Bulbs – Specialty: 0.06</p> <p>NTG Research Source: PY9 In-store intercept survey, results weighted on verified savings.</p> <p>* = subject to revision as per TRM v7 and EISA.</p>

Fridge Freezer Recycling Rewards													
EPY1	<p>NTG 0.70 for refrigerators, 0.83 for freezers, 1.0 for Room AC units Free-Ridership 30% for refrigerators, 17% for freezers, 0% for Room AC units Spillover 0% for all measure types Method: Customer self-report. 100 surveys completed (70 refrigerator respondents, 30 freezers), from attempted calls with 498 respondents</p>												
EPY2	<p>NTG 0.73 for refrigerators, 0.82 for freezers, 0.72 for Room AC units Free-Ridership 27% for refrigerators, 18% for freezers, 28% for Room AC units Spillover 0% for all measure types Method: Customer self-report. 152 surveys completed – 114 Refrigerator, 38 Freezer, 30 Room AC Recyclers, from attempted calls with 744 respondents</p>												
EPY3	<p>NTG 0.67 for refrigerators, 0.75 for freezers, 0.70 for Room AC units Free-Ridership 33% for refrigerators, 25% for freezers, 30% for Room AC units Spillover 0% for all measure types Method: Customer self-report. 202 surveys completed – 151 Refrig., 51 Freezer, 30 Room AC Recyclers, from attempted calls with 1,369 respondents</p>												
EPY4	<p>Deemed using PY2 values NTG 0.73 for refrigerators, 0.77 for freezers, and 0.58 for Room AC units EPY4 Research NTG of 0.77 for refrigerators and freezers, 0.58 for Room AC. Free-Ridership 27% for refrigerators, 23% for freezers, 42% for Room AC units Spillover 0% for all measure types Method: Customer and participating retailer self-reports. Weighted average from combining results from both sources. 200 surveys completed with participating customers –150 Refrig., 50 Freezer, 19 Room AC Recyclers, from attempted calls with 2,225 respondents</p>												
EPY5	<p>SAG Consensus:</p> <ul style="list-style-type: none"> Refrigerators: 0.67 Freezers: 0.75 Room AC: 0.70 												
EPY6	<p>SAG Consensus:</p> <ul style="list-style-type: none"> Refrigerators: 0.73 Freezers: 0.82 Room AC: 0.72 												
EPY7	<p>NTG:</p> <table border="1"> <thead> <tr> <th>Unit Type</th> <th>Non-Retailer</th> <th>Retailer</th> </tr> </thead> <tbody> <tr> <td>Refrigerator</td> <td>79%</td> <td>17%</td> </tr> <tr> <td>Freezer</td> <td>59%</td> <td>21%</td> </tr> <tr> <td>Room ACs</td> <td>50%</td> <td></td> </tr> </tbody> </table> <p>Source: EPY5 participant surveys, participating retailer surveys, nonparticipating retailer surveys</p> <p>Participant Spillover: Negligible Nonparticipant spillover: Negligible No spillover primary research done in EPY5. A literature review of other research does not support meaningful spillover. <i>Note: ODC-Ameren accepted the ComEd values.</i></p>	Unit Type	Non-Retailer	Retailer	Refrigerator	79%	17%	Freezer	59%	21%	Room ACs	50%	
Unit Type	Non-Retailer	Retailer											
Refrigerator	79%	17%											
Freezer	59%	21%											
Room ACs	50%												
EPY8	<p>Recommendation (based upon PY6 research): NTG Fridge, Retailer: 0.29 without Vendor #1 NTG Fridge, Non-Retailer: 0.77 NTG Fridge, Weighted Average Retailer and Non Retailer: 0.53</p> <p>NTG Freezer, Retailer: 0.30 NTG without Vendor #1 NTG Freezer, Non-Retailer: 0.58</p>												

	<p>Fridge Freezer Recycling Rewards</p> <p>NTG Freezer, Weighted Average Retailer and Non Retailer: 0.57 NTG Room ACs: 0.50 NTG Room AC, Non-Retailer: 0.50</p> <p>FR Fridge, Retailer: 0.71 FR Fridge, Non-Retailer: 0.23 FR Fridge, Weighted Average: 0.47 FR Freezer, Retailer: 0.70 FR Freezer, Non-Retailer: 0.58 FR Freezer, Weighted Average: 0.43</p> <p>Based upon PY6 Participant and Retailer Surveys. PY6 data sources include telephone surveys with participating customers, telephone surveys with nonparticipating customers, in-depth interviews with participating retailers and telephone surveys with non-participating retailers associated with unit replacements.</p> <p>Information regarding participant spillover was also collected, but ultimately did not support a finding of any spillover.</p>
EPY9	<p>NTG Fridge Overall (including PIR): 0.51 NTG Fridge, Retailer (<i>excluding Vendors #1&#2</i>): 0.22 NTG Fridge, Non-Retailer: 0.62 NTG Fridge, Weighted Average Retailer and Non Retailer: 0.54</p> <p>NTG Freezer Overall (including PIR): 0.58 NTG Freezer, Retailer (<i>excluding Vendors #1&#2</i>): 0.25 NTG Freezer, Non-Retailer: 0.63 NTG Freezer, Weighted Average Retailer and Non Retailer: 0.60</p> <p>NTG Room ACs: 0.50 NTG Room AC, Non-Retailer: 0.50</p> <p>FR Fridge, Retailer: 0.78 FR Fridge, Non-Retailer: 0.38 FR Fridge, Weighted Average: 0.46 FR Freezer, Retailer: 0.75 FR Freezer, Non-Retailer: 0.37 FR Freezer, Weighted Average: 0.40</p> <p>SO is negligible for this program. NTG Research Source: PY7 Retailer and participant surveys</p>
CY2018	<p>NTG Fridge Overall (including PIR): 0.51 NTG Fridge, Retailer (<i>excluding Vendors #1&#2</i>): 0.22 NTG Fridge, Non-Retailer: 0.62</p> <p>NTG Freezer Overall (including PIR): 0.58 NTG Freezer, Retailer (<i>excluding Vendors #1&#2</i>): 0.25 NTG Freezer, Non-Retailer: 0.63</p> <p>NTG Room ACs: 0.50</p> <p>FR Fridge, Retailer: 0.78 FR Fridge, Non-Retailer: 0.38 FR Freezer, Retailer: 0.75 FR Freezer, Non-Retailer: 0.37</p>

	Fridge Freezer Recycling Rewards
	SO is negligible for this program. NTG Research Source: PY7 Retailer and participant surveys
CY2019	NTG Fridge: 0.50 NTG Freezer: 0.48 NTG Room ACs: 0.50 FR Fridge: 0.50 FR Freezer: 0.52 FR Room ACs: 0.50 SO is negligible for this program. NTG Research Source: PY9 Retailer and participant surveys

	Multifamily Market Rate
EPY1	NTG 0.80 Free-Ridership n/a Spillover n/a Method: ComEd planning documents. (No EMV NTG analysis).
EPY2	Program NTG 0.88 Measure Specific: CFLs NTG 0.81 CFLs Free Ridership 27% CFLs Spillover 18% Water Efficient Showerheads NTG 0.93 Water Efficient Showerheads Free Ridership 9% Water Efficient Showerheads Spillover 2% Water Efficient Aerators NTG 0.94 Water Efficient Aerators Free Ridership 6% Water Efficient Aerators Spillover 0% Method: Participant Self-Report. CATI telephone survey with 75 participating tenants (90/9).
EPY3	Program NTG 0.90 Measure Specific: CFLs NTG 0.81 CFLs Free Ridership 20% CFLs Spillover 1% Water Efficient Showerheads NTG 0.93 Water Efficient Showerheads Free Ridership 7% Water Efficient Showerheads Spillover 0% Water Efficient Aerators NTG 0.94 Water Efficient Aerators Free Ridership 6% Water Efficient Aerators Spillover 0% Method: Participant self-report. CATI telephone survey with 140 participating tenants (90/10).
EPY4	Deemed using EPY2 values: Program NTG 0.83 Measure Specific: CFLs NTG 0.81 Water Efficiency Measures (Aerators + Showerheads) NTG 0.93 Verification Method: Applied EPY2 evaluation findings according to NTG Framework. EPY4 Research Findings: Program NTG 0.97 CFLs NTG 0.98 Water Efficiency Measures (Aerators + Showerheads) NTG 0.92

	Multifamily Market Rate						
	Water Efficient Showerheads NTG 0.91 Water Efficient Aerators NTG 0.93 Research Method: Participant self-report. CATI telephone survey with participating decision-makers (37 property managers)						
EPY5	SAG Consensus: <table border="1"> <tr> <td>Multi-Family – Lighting</td> <td>0.81</td> </tr> <tr> <td>Multi-Family – Water Measures</td> <td>0.93</td> </tr> </table>	Multi-Family – Lighting	0.81	Multi-Family – Water Measures	0.93		
Multi-Family – Lighting	0.81						
Multi-Family – Water Measures	0.93						
EPY6	SAG Consensus: <table border="1"> <tr> <td>Multi-Family – CFLs</td> <td>0.98</td> </tr> <tr> <td>Multi-Family – Showerhead</td> <td>0.92</td> </tr> <tr> <td>Multi-Family – Common Areas</td> <td>0.80</td> </tr> </table>	Multi-Family – CFLs	0.98	Multi-Family – Showerhead	0.92	Multi-Family – Common Areas	0.80
Multi-Family – CFLs	0.98						
Multi-Family – Showerhead	0.92						
Multi-Family – Common Areas	0.80						
EPY7	<p>Evaluation used EPY4 research findings: Program NTG 0.98 CFLs NTG 0.98 Water Efficient – Showerheads NTG 0.92 Water Efficient – Bath Aerators NTG 0.94 Water Efficient – Kitchen Aerators NTG 1.00 Other measures: 0.95 (programmable thermostats and water temperature turndown)</p> <p>Participant spillover: Comprehensive spillover is in the estimated NTG. Other measures: No participant spillover is likely for any measures given the program approach and program theory.</p> <p>Nonparticipant spillover: No nonparticipant spillover is likely for any measures given the program approach and program theory.</p> <p>Research Method: Participant self-report. CATI telephone survey with participating decision-makers (37 property managers).</p> <p>For EPY7 comprehensive projects, Navigant recommends a NTGR of 0.95. These are new measures, and Navigant’s research indicates that the target market for this program is unlikely to install these measures without the existence of the program, similar to PY4 ComEd Small Business Energy Savings program evaluation research findings.</p> <p>For EPY7 CFL direct install Free-Ridership, Navigant recommends the PY4 evaluation research finding NTGR of 0.98, based on survey self-report data from participating property managers. Navigant recommends the PY4 values for each of the water efficient measures (showerheads, bath aerators and kitchen aerators).</p>						
EPY8	<p>Recommendation (based upon PY7 NTG recommended values): NTG Direct Install CFLs and LED Lighting: 0.98 NTG Hot Water Measures (showerhead, bath aerators, kitchen aerator): 0.92, 0.94 and 1.00 NTG Unit Measures: 0.95 NTG Common Areas Measures: 0.95 NTG Thermostat: 0.90</p> <p>EPY6 research on thermostat NTG was based on secondary research. There was no EPY6 research for other measures, thus the evaluation team recommends using the EPY7 values – see detail above for EPY7.</p>						
EPY9	NTG Direct Install CFLs: 0.98 NTG Hot Water Measures (showerhead, bath aerators, kitchen aerator): 0.92, 0.94 and 1.00 NTG Unit Measures: 0.95 NTG Common Areas Measures: 0.95						

Multifamily Market Rate	
	<p>NTG Thermostat: 0.90 FR DI CFL: 0.02 FR Hot Water Measures: 0.08, 0.06 & 0.0, showerhead, bath & kitchen aerators, respectively FR Unit: 0.05 FR Common Areas: 0.05 FR Thermostats (based upon evaluation secondary research) SO Was not found in this program.</p> <p>NTG Source: PY7 SAG consensus values (no new research)</p>
CY2018	<p>NTG Direct Install CFLs: 0.98 NTG Hot Water Measures (showerhead, bath aerators, kitchen aerator): 0.92, 0.94 and 1.00 NTG Unit Measures: 0.95 NTG Common Areas Measures: 0.95 NTG Thermostat: 0.90 FR DI CFL: 0.02 FR Hot Water Measures: 0.08, 0.06 & 0.0, showerhead, bath & kitchen aerators, respectively FR Unit: 0.05 FR Common Areas: 0.05 FR Thermostats (based upon evaluation secondary research) SO Was not found in this program.</p> <p>NTG Source: PY7 SAG consensus values (no new research)</p>
CY2019	<p>NTG Direct Install CFLs: Not active CY2019 NTG Direct Install LED: 0.84 NTG Hot Water Measures (showerhead, bath aerators, kitchen aerator): 1.00 NTG Programmable and Reprogram Thermostat: 0.90 NTG Other Unit Measures: 0.95 NTG Common Areas: 0.95</p> <p>FR Hot Water Measures: 0.0 FR Unit: 0.05 FR Common Areas: 0.05 FR Thermostats (based upon evaluation secondary research)</p> <p>SO Was not found in this program.</p> <p>NTG Source: For DI LED: HEA PY9 participating customer survey For Hot Water Measures: TRM v7 For all other: PY7 SAG consensus values (no new research)</p>

Home Energy Assessments (Single Family Retrofit)	
EPY1	<p>NTG 0.80 Free-Ridership 0.20 Spillover NA Method: ComEd Program Assumption. The EPY1 evaluation did not estimate the net to gross ratio. The value of 80% is drawn from the program plan presented in ComEd's 2008-2010 Energy Efficiency and Demand Response Plan (November 15, 2007). Page D-2 of the</p>

Home Energy Assessments (Single Family Retrofit)

ComEd plan provides a footnote stating the net to gross ratio of 80% is drawn from the California Energy Efficiency Policy Manual, version 2 (2003).

EPY2

NTG 0.87
Free-Ridership 26%
Spillover 3.5%
Method: Customer self-reports. 130 surveys completed from a population of 760.

Measure	NTG Ratio	FR	SO
CFL	0.72	34%	6.4%
Kitchen Aerators	0.97	3%	0.0%
Bathroom Aerators	0.97	3%	0.0%
Showerheads	0.93	8%	0.5%
Pipe Insulation	1.02	7%	9.0%
Total Direct Install	0.87	26%	3.5%

EPY3

NTG 0.74
Free-Ridership 27%
Spillover 4%
Method: Customer self-reports. 122 full participant (direct install and weatherization measures) and direct install-only participant surveys completed from a population of 413 full participants and 962 direct install-only participants.

Measure	NTG	FR	SO
Compact Fluorescent Bulbs	0.68	34%	3%
Air Sealing	0.99	8%	
Attic Insulation	0.98	9%	
Floored Attic Insulation	0.98	9%	
Exterior Wall Insulation	0.96	11%	
Sloped Insulation	0.96	11%	
Knee Wall Insulation	0.96	11%	
Crawl Space Insulation	0.96	11%	7%
Duct Insulation	0.99	8%	
Rim Joist Insulation	0.96	11%	
Seal and Repair Ducts	0.93	-	
Overall	0.74	27%	4%

EPY4

Retroactive application of NTG* 0.83 (Preliminary)
Overall Free-Ridership* 18% (Preliminary)
Overall Spillover* 1% (Preliminary)
**A final draft of the report has not been submitted yet, thus these values may change.*
Method: Customer self-reports. 54 full-participant (direct Install and weatherization measures) surveys completed from a population of 1,081 audits and 320 full-participants.

Measure	NTG*	Free Ridership*	Spillover*	
Direct-Install Measures	9 Watt CFL	0.79	0.25	0.04
	14 Watt CFL	0.79	0.25	0.04
	19 Watt CFL	0.79	0.25	0.04
	23 Watt CFL	0.79	0.25	0.04
	9 Watt Globe CFL	0.79	0.25	0.04
	Low Flow Shower Head	0.93	0.07	0.00
	Kitchen Aerator	1.00	0.01	0.01
	Bathroom Aerator	1.00	0.01	0.01

Home Energy Assessments (Single Family Retrofit)																				
	Hot Water Temperature Setback	0.88	0.12	0.00																
	Pipe Insulation	0.89	0.18	0.07																
	Programmable Thermostat	0.85	-	-																
	Programmable Thermostat Education	0.85	-	-																
	Attic Insulation	0.75	0.27	0.02																
	Wall Insulation	0.78	0.22	0.00																
Retrofit Measures	Floor Insulation (Other)	0.76	0.24	0.00																
	Duct Insulation & Sealing	0.80	-	-																
	Air Sealing	0.84	0.16	0.00																
	Overall Program	0.83	0.18	0.01																
<i>*A final draft of the report has not been submitted yet, thus these values may change.</i>																				
EPY5 EPY6	Sag Consensus:																			
		EPY5	EPY6																	
	Lighting	0.89	0.79																	
	Single Family with Gas _ Showerhead	0.94	0.75																	
	Single Family with Gas _ Kitchen Aerator	0.94																		
	Single Family with Gas _ Bath Aerator	0.94																		
	Single Family with Gas _ Water Heater Temp Setback	0.94																		
	Single Family with Gas _ Pipe Insulation	0.94																		
	Weatherization Measures	0.80	0.80																	
	Attic Insulation	0.80																		
	Wall Insulation	0.80																		
	Floor Insulation (other)	0.80																		
	Duct Sealing	0.80																		
	Air Sealing	0.80																		
EPY7	<p>Direct Install NTG: 0.80 Weatherization NTG: 1.02 Source: Participant surveys in EPY4 and EPY5, Trade ally surveys in EPY5. For Weatherization free ridership, trade ally value was weighted 75% and participants 25%.</p> <p>Supporting Information</p> <table border="1"> <thead> <tr> <th></th> <th>Free Ridership</th> <th>Participant Spillover</th> <th>NTG</th> </tr> </thead> <tbody> <tr> <td>Direct Install</td> <td>0.23</td> <td>0.03</td> <td>0.80</td> </tr> <tr> <td>Weatherization</td> <td>0.10</td> <td>0.11</td> <td>1.02</td> </tr> <tr> <td>Program Wide</td> <td>0.20</td> <td>0.05</td> <td>0.85</td> </tr> </tbody> </table>					Free Ridership	Participant Spillover	NTG	Direct Install	0.23	0.03	0.80	Weatherization	0.10	0.11	1.02	Program Wide	0.20	0.05	0.85
	Free Ridership	Participant Spillover	NTG																	
Direct Install	0.23	0.03	0.80																	
Weatherization	0.10	0.11	1.02																	
Program Wide	0.20	0.05	0.85																	
EPY8	<p>Recommendation (based upon PY7 NTG recommended values): NTG CFL: 0.79 – (used in PY6 Report based upon PY4 research) NTG Hot Water Measures with gas: 0.75 – (used in PY6 Report based upon PY4 research) NTG Direct Install Measures: 0.80 – (from PY7 Recommendation based upon PY5 research)</p>																			

	Home Energy Assessments (Single Family Retrofit)
	<p>NTG Weatherization Measures: 1.02 – <i>(from PY7 Recommendation based upon PY5 research)</i> NTG Thermostat: 0.90 – <i>(secondary 2010 MA and VT research)</i></p> <p>FR CFL: NA FR Hot Water: NA FR Direct Install: 0.23 FR Weatherization: 0.10 FR Thermostat: NA MA/VT secondary research</p> <p>SO CFL: na SO Hot Water: NA SO Direct Install: 0.03 SO Weatherization: 0.11 SO Thermostat: NA MA/VT secondary research</p> <p>EPY6 research on thermostat NTG was based on secondary research. There was no EPY6 research for other measures, thus the evaluation team recommends using the EPY7 values – see detail above for EPY7.</p>
EPY9	<p>NTG CFL: 0.80 – <i>(used in PY6 Report based upon PY4 research)</i> NTG Hot Water Measures with gas: 0.80 – <i>(used in PY6 Report based upon PY4 research)</i> NTG Direct Install Measures: 0.80 – <i>(from PY7 Recommendation based upon PY5 research)</i> NTG Weatherization Measures: 1.01 – <i>(from PY7 Recommendation based upon PY5 research)</i> NTG Thermostat: 0.90 – <i>(secondary 2010 MA and VT research)</i></p> <p>FR CFL: NA FR Hot Water: NA FR Direct Install: 0.23 FR Weatherization: 0.10 FR Thermostat: NA</p> <p>SO CFL: NA SO Hot Water: NA SO Direct Install: 0.03 SO Weatherization: 0.11 SO Thermostat: NA</p> <p>NTG Source: PY6 SAG consensus value (no new research)</p>
CY2018	<p>NTG Lighting: 0.80 – <i>(used in PY6 Report based upon PY4 research)</i> NTG Hot Water Measures: 0.80 – <i>(used in PY6 Report based upon PY4 research)</i> NTG Other Direct Install Measures: 0.80 – <i>(from PY7 Recommendation based upon PY5 research)</i> NTG Programmable Thermostat and Programmable Thermostat Education: 0.90 – <i>(secondary 2010 MA and VT research)</i> NTG Advanced Power Strips: 0.95 – <i>(based on MF Elevate and PY6 Desktop Power Management)</i> NTG Advanced Thermostat: NA. The savings value in the IL TRM is based on regression analysis on consumption data and thus is a net savings number.</p> <p>FR Lighting: NA FR Hot Water: NA FR Other Direct Install: 0.23 FR Thermostat: 0.23</p>

	Home Energy Assessments (Single Family Retrofit)
	<p>FR Advanced Power Strips: NA</p> <p>SO Lighting: NA SO Hot Water: NA SO Other Direct Install: 0.03 SO Thermostat: 0.03 SO Advanced Power Strips: NA</p> <p>NTG Source: PY6 SAG consensus value (no new research)</p>
CY2019	<p>NTG Pipe Insulation: 0.80 – <i>(used in PY6 Report based upon PY4 research)</i> NTG Showerhead and Kitchen and Bathroom Faucet Aerator: 1.04 NTG Other Direct Install Measures: 0.81 – <i>(from PY7 Recommendation based upon PY5 research)</i> NTG Programmable Thermostat and Programmable Thermostat Education: 0.90 – <i>(secondary 2010 MA and VT research)</i> NTG Advanced Power Strips: 0.85 – <i>(based on PY9 participant survey for FR and PY8 participant survey for SO)</i> NTG Advanced Thermostat: NA. The savings value in the IL TRM is based on regression analysis on consumption data and thus is a net savings number. NTG LEDs – Copay: 0.92 NTG LEDs – Free: 0.84</p> <p>FR Showerhead and Kitchen and Bathroom Faucet Aerator: 0.00 FR Other Direct Install: 0.23 FR Thermostat: NA FR Advanced Power Strips: 0.19 FR LEDs – Copay: 0.12 FR LEDs – Free: 0.20</p> <p>SO Showerhead and Kitchen and Bathroom Faucet Aerator: 0.04 SO Other Direct Install: 0.04 SO Thermostat: NA SO Advanced Power Strips: 0.04 SO LEDs – Copay: 0.04 SO LEDs – Free: 0.04</p> <p>NTG Source: Showerhead and Kitchen and Bathroom Faucet Aerator FR: TRM v 7.0 LED and APS FR: PY9 participant survey Thermostat: 2010 MA VT Evaluation Research Other Direct Install FR: PY6 SAG consensus value (no new research) SO: PY8 participant survey</p>

	Complete System Replacement (HEER)
EPY1	CSR program not offered in EPY1
EPY2	CSR program not offered in EPY1
EPY3	CSR program not offered in EPY1
EPY4	Retroactive application of NTG of 59% Free-Ridership: 41% Spillover: 0% Method: Customer self-report.
EPY5	SAG consensus: Retrospective evaluation
EPY6	SAG consensus:

Complete System Replacement (HEER)

- 0.59

EPY7

NTG: 0.99

Free Ridership: Participant 0.41; Trade ally 0.25; Average = 0.33
 (EPY4 participant survey and EPY5 participating trade ally surveys)
Participant Spillover: 0.12 from participating trade ally survey
Nonparticipant Spillover: 0.20 from nonparticipant trade ally survey.

Ameren HVAC. Very similar values for spillover. (0.1 and 0.22). Free-Ridership varies from 44% to 69%.

The overall program NTG was calculated by averaging the EPY4 participant and the EPY5 trade ally Free-Ridership rates, and then adding the EPY4 participant spillover, and EPY5 participating trade ally and non-participating trade ally spillover, as follows:

$$NTG_{Program} = 1 - \frac{(FR_{part.} + FR_{TA})}{2} + SO_{part.} + SO_{part.TA} + SO_{Non-Part.TA}$$

Where NTGProgram = Program NTG
 FRPart. = Participant Free-Ridership
 FR_{TA} = Trade Ally Free-Ridership
 SO_{Part.} = Participant Spillover
 SO_{PartTA} = Participating TA Spillover
 SO_{Non-PartTA} = Non-Participating TA Spillover

Finding: The NTG rate found in this evaluation is 99% combining participant free ridership (0.41), trade ally free ridership (0.25), and spillover (0.12 participating trade ally and 0.20 nonparticipating trade ally).

Participating Trade Ally Free Ridership and Spillover

	Sales Weighted Free-Ridership	Sales Weighted Spillover	N
Highest Volume Trade Allies	0.21	0.12	13
Medium Volume Trade Allies	0.34	0.10	18
Lowest Volume Trade Allies	0.35	0.20	18
All Participating Trade Allies	0.25	0.12	49

Source: Evaluation Team analysis.

Non-Participant Trade Ally Spillover

Non-Part TA SO Savings (kWh)	Program Savings	Non-Part TA SO Rate
598,288	3,011,855	0.20

EPY8

Recommendation (based upon PY7 NTG recommended values):
 NTG: 0.99
 Free Ridership with Gas Participant: 0.41
 Free Ridership with Gas TA: 0.25
 TA Spillover (Participant): 0.12
 TA Spillover (Non-Participant): 0.20

	Complete System Replacement (HEER)
	There was no additional NTG research conducted for EPY6. The recommended value is the same as the PY7 recommendation.
EPY9	<p>NTG: 0.99</p> <p>Free-Ridership with Gas Participant: 0.41</p> <p>Free-Ridership with Gas TA: 0.25</p> <p>TA Spillover (Participant): 0.12</p> <p>TA Spillover (Non-Participant): 0.20</p> <p>NTG Source: PY7 SAG consensus value (no new research)</p>
CY2018	Program replaced in PY7 with Heating, Cooling, and Weatherization Rebates

	Heating, Cooling and Weatherization Rebates
CY2018	<p>Heating and Cooling</p> <p>NTG Central AC: 0.69</p> <p>Free-Ridership Central AC: 0.43</p> <p>TA Spillover (Participant) Central AC: 0.12</p> <p>NTG Source for Central AC: Free-Ridership: PY8 participant self-report survey TA Spillover (Participant): PY7 SAG consensus value for CSR</p> <p>PY7 SAG consensus value for non-participant spillover for CSR is not applicable here because those savings are likely now captured by the new stand-alone CAC program. Navigant interviewed participating trade allies as part of the CSR evaluation and found the non-participant spillover was from ComEd customers who needed and got a new high efficiency CAC but did not need or get a new furnace, thus they did not do a “complete system replacement” and were not eligible for the incentive. The trade allies reported a substantial share of sales in high efficiency CAC that did not get an incentive because the customer did not do a CSR. We counted that as spillover. Now, however, with the Heating, Cooling, and Weatherization Program, ComEd customers can get an incentive when they replace just the CAC, and thus the NPSO we found for the old CSR program is probably being captured by the new program.</p> <p>NTG Advanced Thermostat: NA The savings value in the IL TRM is based on regression analysis on consumption data and thus is a net savings number.</p> <p>NTG Air Source Heat Pump: 0.57, based upon 2013 Navigant research for Duke. NTG Ductless Mini-Split: 0.68, based upon average for 5 utilities cited in 2016 study for Wisconsin Focus on Energy. NTG ECM Furnace Motor – with Furnace Upgrade: 0.68, based upon GPY5 Navigant research for Nicor Gas NTG ECM Furnace Motor – without Furnace Upgrade: 0.80, default value NTG Geothermal Heat Pump: 0.59, based upon 2013 Ameren IL Study, Res Home Rebate Program NTG Heat Pump Water Heater: 0.76, based upon 2013 Navigant research for Duke</p> <p>"2013 EM&V Report for the Home Energy Improvement Program" Duke Energy, July 2015. http://starw1.ncuc.net/NCUC/ViewFile.aspx?id=b94770a2-2d4a-427d-9c50-b09fd11096ed</p> <p>"Ductless Mini-Split Heat Pump Market Assessment and Savings Review Report" for Wisconsin Focus on Energy, December 30, 2016.</p>

	<p>Heating, Cooling and Weatherization Rebates</p> <p>https://focusonenergy.com/sites/default/files/research/Focus%20EERD%20DMSHP%20Final%20Report_30Dec2016.pdf</p> <p>Weatherization NTG: 1.01 Free-Ridership: 0.10 Participant Spillover: 0.11 NTG Source: Free-Ridership: PY7 SAG consensus value for the Home Energy Assessments program, which was based on participant surveys in EPY4 and EPY5 and trade ally surveys in EPY5.</p>
CY2019	<p>Heating and Cooling NTG Central AC: 0.65 Free-Ridership Central AC: 0.43 Participant Central AC: 0.08</p> <p>NTG Source for Central AC: Free-Ridership: PY8 participant self-report survey Spillover: PY8 participant self-report survey</p> <p>NTG Advanced Thermostat: NA The savings value in the IL TRM is based on regression analysis on consumption data and thus is a net savings number.</p> <p>NTG Air Source Heat Pump: 0.57, based upon SAG consensus value. NTG Ductless Mini-Split: 0.68, based upon SAG consensus value. NTG ECM Furnace Motor – with Furnace Upgrade: 0.68, based upon SAG consensus value. NTG ECM Furnace Motor – without Furnace Upgrade: 0.80, based upon SAG consensus value. NTG Geothermal Heat Pump: 0.59, based upon SAG consensus value. NTG Heat Pump Water Heater: 0.76, based upon SAG consensus value.</p> <p>"2013 EM&V Report for the Home Energy Improvement Program" for Duke Energy, July 2015. http://starw1.ncuc.net/NCUC/ViewFile.aspx?Id=b94770a2-2d4a-427d-9c50-b09fd11096ed</p> <p>"Ductless Mini-Split Heat Pump Market Assessment and Savings Review Report" for Wisconsin Focus on Energy, December 30, 2016. https://focusonenergy.com/sites/default/files/research/Focus%20EERD%20DMSHP%20Final%20Report_30Dec2016.pdf</p> <p>Weatherization NTG: 1.01 Free-Ridership: 0.10 Participant Spillover: 0.11 Attic insulation and Air Sealing Only NTG: N/A NTG Source: Free-Ridership: PY7 SAG consensus value for the Home Energy Assessments program, which was based on participant surveys in EPY4 and EPY5 and trade ally surveys in EPY5. Spillover: SAG consensus value</p>

	Residential New Construction
EPY1	No Program
EPY2	No Program
EPY3	No Program

Residential New Construction	
EPY4	NTG not evaluated. Program just launched. No impact evaluation. No kWh savings
EPY5	SAG Consensus: Retrospective evaluation
EPY6	SAG Consensus <ul style="list-style-type: none"> • 0.80
EPY7	<p>NTG: 0.80 Free-Ridership 0.20 Participants Spillover: negligible Nonparticipants Spillover: negligible</p> <p>Source: Planning value used in each prior year. There are no evaluation NTG has been conducted yet. The program is so young it is unlikely to be creating meaningful spillover.</p>
EPY8	<p>Recommendation (Secondary research: National Grid, CPS Energy, CPUC and Market Effects): NTG: 1.0</p> <p>Based upon secondary research including MA Res NC (NTG=1.18), National Grid RI (NTG=1.0), CPS Energy Savers (NTG=1.0), CPUC (NTG=-0.80) and market effects IEPEC paper.</p>
EPY9	<p>NTG: 0.65 Free-Ridership 0.39 Participant Spillover: 0.04</p> <p>PY7 NTG Research Source: Research of participants, builders and raters</p>
CY2018	<p>NTG: 0.65 Free-Ridership 0.39 Participant Spillover: 0.04</p> <p>PY7 NTG Research Source: Research of participants, builders and raters</p>
CY2019	<p>NTG: 0.65 Free-Ridership 0.39 Participant Spillover: 0.04</p> <p>PY7 NTG Research Source: Research of participants, builders and raters</p>

Elementary Energy Education																																				
EPY4	<table border="1"> <thead> <tr> <th>Measure</th> <th>Research Findings Nicor Gas-only FR</th> <th>Research Findings Nicor Gas-only SO</th> <th>Research Findings Nicor Gas-only NTG</th> <th>Research Findings Nicor Gas-ComEd FR</th> <th>Research Findings Nicor Gas-ComEd SO</th> <th>Research Findings Nicor Gas-ComEd NTG</th> </tr> </thead> <tbody> <tr> <td>Showerheads</td> <td>39%</td> <td>7%</td> <td>68%</td> <td>22%</td> <td>19%</td> <td>96%</td> </tr> <tr> <td>Kitchen Aerators</td> <td>33%</td> <td>2%</td> <td>69%</td> <td>18%</td> <td>14%</td> <td>97%</td> </tr> <tr> <td>Bathroom Aerators</td> <td>35%</td> <td>7%</td> <td>71%</td> <td>22%</td> <td>9%</td> <td>87%</td> </tr> <tr> <td>CFLs</td> <td>NA</td> <td>NA</td> <td>NA</td> <td>53%</td> <td>31%</td> <td>78%</td> </tr> </tbody> </table> <p>Retroactive application of NTG of 0.68 – 0.96 (varies by measure and participant group) Free-Ridership 18-53%</p>	Measure	Research Findings Nicor Gas-only FR	Research Findings Nicor Gas-only SO	Research Findings Nicor Gas-only NTG	Research Findings Nicor Gas-ComEd FR	Research Findings Nicor Gas-ComEd SO	Research Findings Nicor Gas-ComEd NTG	Showerheads	39%	7%	68%	22%	19%	96%	Kitchen Aerators	33%	2%	69%	18%	14%	97%	Bathroom Aerators	35%	7%	71%	22%	9%	87%	CFLs	NA	NA	NA	53%	31%	78%
Measure	Research Findings Nicor Gas-only FR	Research Findings Nicor Gas-only SO	Research Findings Nicor Gas-only NTG	Research Findings Nicor Gas-ComEd FR	Research Findings Nicor Gas-ComEd SO	Research Findings Nicor Gas-ComEd NTG																														
Showerheads	39%	7%	68%	22%	19%	96%																														
Kitchen Aerators	33%	2%	69%	18%	14%	97%																														
Bathroom Aerators	35%	7%	71%	22%	9%	87%																														
CFLs	NA	NA	NA	53%	31%	78%																														

	Elementary Energy Education
	Spillover 7-19% Method: Customer self-report, 223 surveys completed from a population of 9,972.
EPY5	SAG Consensus <ul style="list-style-type: none"> • 0.76
EPY6	SAG Consensus <ul style="list-style-type: none"> • 0.76
EPY7	NTG: 0.76 Free-Ridership: See EPY4 table Participant spillover: see EPY4 table Nonparticipant spillover: negligible Source: EPY4 participant survey. No new evaluation research in EPY5. No material changes to market or program.
EPY8	Recommendation (Avg.: NIPSCO, Nicor Rider 29 and PG/NSG GPY1 EEE program values): CFL NTG: 0.83 Showerheads NTG: 1.05 Aerators NTG: 1.04 Based upon averaging NIPSCO, Nicor Rider 29, and Nicor Gas GPY1
EPY9	Recommendation – SAG Consensus: CFL NTG: 1.0 Showerheads NTG: 1.0 Aerators NTG: 1.0 NTG Source: NTG values of 1.0 based upon SAG consensus Researched Values: PY7 Research of participants and program managers and implementers: Values are the average of NIPSCO, Nicor Rider 29 and PG/NSG GPY1 EEE program values: CFL NTG: 0.67 Showerheads NTG: 0.82 Aerators NTG: 0.92 CFL FR: 0.51 Showerheads FR: 0.29 Aerators FR: 0.20 CFL SO: 0.18 Showerheads SO: 0.11 Aerators SO: 0.12
CY2018	Recommendation: LED bulbs NTG: 1.0 Showerheads NTG: 1.0 Aerators NTG: 1.0 Water Heater Setback NTG: 1.0 Shower Timer NTG: 1.0 NTG Source: NTG values of 1.0 based upon PY7 SAG consensus
CY2019	Recommendation: LED bulbs NTG: 0.84 Showerheads NTG: 1.0 Aerators NTG: 1.0

	Elementary Energy Education
	Water Heater Setback NTG: 1.0 Shower Timer NTG: 1.0 LED bulbs FR: 0.20 LED bulbs SO: 0.04 NTG Source: LED: Based on HEA PY9 and PY8 participant customer research. All Others: NTG values of 1.0 based upon PY7 SAG consensus.

	Energy Star Rebate (Appliances)
EPY8	Clothes Washer = 0.68 based upon ComEd PY5 Evaluation Report
	Refrigerator = 0.86 based upon MA 2012 Home Energy Services Evaluation
	Air Purifier = 0.78 based upon Ameren IL Residential EE Products PY5
	Learning Thermostats = 0.90 Navigant researched value for Residential Programs
	Freezers = 0.86 based upon MA 2012 Home Energy Services Evaluation for refrigerators.
	Heat Pump Water Heater = 0.86 based upon Ameren IL Res EE Products PY5
	Clothes Dryer = 0.68 based upon ComEd Clothes Washer PY5 Evaluation Report
EPY9	Clothes Washer = 0.68 – based upon ComEd PY5 Evaluation Report
	Refrigerator = 0.86 – based upon MA 2012 Home Energy Services Evaluation
	Air Purifier = 0.78 – based upon Ameren IL Residential EE Products PY5
	Learning Thermostats = 0.90 – Navigant researched value for Residential Programs
	Freezers = 0.86 – based upon MA 2012 Home Energy Services Evaluation for refrigerators.
	Heat Pump Water Heater = 0.86 – based upon Ameren IL Res EE Products PY5
	Clothes Dryer = 0.68 – based upon ComEd Clothes Washer PY5 Evaluation Report
	Dehumidifier = 0.78 – based upon Ameren PY4 researched value of 0.78
	Advanced Power Strips = 0.86 – Ameren primary research in PY4
	Dishwasher = 0.92 – based upon recent CO study; will be provided to SAG once it is public
	Pool Pump = 1.00 – based upon recent CO study; will be provided to SAG once it is public
	Bathroom Exhaust Fan = 0.80 – default value (secondary research didn't support a recommendation)
	Water Cooler = 0.80 – default value (secondary research didn't support a recommendation)
Window AC = 0.80 – default value (secondary research didn't support a recommendation)	
NTG Source: Based upon EPY8 Recommendations for existing measures and secondary research for new measures.	
CY2018	Clothes Washer = 0.58
	Refrigerator = 0.57
	Air Purifier = 0.74
	Freezers = 0.54
	Heat Pump Water Heater = 0.74
	Clothes Dryer = 0.62
	Bathroom Exhaust Fan = 0.66
	Water Cooler = 0.83
	Window AC = 0.63
	Dehumidifier = 0.78 – based upon Ameren PY4 researched value of 0.78
	Advanced Power Strips = 0.86 – Ameren primary research in PY4
	Dishwasher = 0.80 – default value
	Pool Pump = 0.80 – default value
Learning Thermostats = NA. The savings value in the IL TRM is based on regression analysis on consumption data and thus is a net savings number.	

Energy Star Rebate (Appliances)	
	<p>NTG Source: Based upon EPY8 participant self-report survey unless noted otherwise.</p>
CY2019	<p>NTG Clothes Washer: 0.62 NTG Refrigerator: 0.61 NTG Air Purifier: 0.78 NTG Freezers: 0.58 NTG Heat Pump Water Heater: 0.78 NTG Clothes Dryer: 0.66 NTG Bathroom Exhaust Fan: 0.70 NTG Water Cooler: 0.87 NTG Window AC: 0.67</p> <p>Dehumidifier = 0.78 – based upon Ameren PY4 researched value of 0.78 Advanced Power Strips = 0.86 – Ameren primary research in PY4 Dishwasher = 0.80 – default value Pool Pump = 0.80 – default value Advanced Thermostats = NA. The savings value in the IL TRM is based on regression analysis on consumption data and thus is a net savings number.</p> <p>FR Clothes Washer: 0.42 FR Refrigerator: 0.43 FR Air Purifier: 0.26 FR Freezers: 0.46 FR Heat Pump Water Heater: 0.26 FR Clothes Dryer: 0.38 FR Bathroom exhaust fan: 0.34 FR Water cooler: 0.17 FR Window AC: 0.37</p> <p>SO: 0.04 (clothes washer, refrigerator, air purifier, freezers, heat pump water heater, clothes dryer, bathroom exhaust fan, water cooler, window AC)</p> <p>NTG Source: SO based upon EPY8 participant self-report survey; FR based upon EPY8 unless noted otherwise.</p>

NTC Middle School Take Home Kits	
PY8	<p>CFL NTG: 0.83 Based upon EEE Showerheads: 1.05 Aerators: 1.04 Power Strips: 0.95 Hot Water Temp Gauge: 0.93 Flow Rate Test Bags: 0.93</p> <p>Based upon EEE</p>
PY9	<p>NTG = 1.0 for all measures CFL Showerheads Aerators Power Strips Hot Water Temp Gauge Cards Flow Rate Test Bags Based on SAG consensus for EEE</p>
CY2019	<p>LEDs NTG = 0.84 For all other measures, NTG = 1.0:</p>

	NTC Middle School Take Home Kits
	Showerheads Aerators Power Strips Flow Rate Test Bags For LEDs, NTG based on HEA PY9 participating customer surveys For all other measures, NTG based on SAG consensus for EEE

NEW PROGRAM PILOTS

EM&V impact analysis (regression) will estimate net savings, not adjusted gross, therefore EM&V does not calculate a NTG ratio that could be applied prospectively for the following programs:

- Connected Savings Wi-Fi Thermostat Optimization (Weatherbug)
- Smart Meter Connected Devices

Pilots and Third-Party Programs

Q-Sync Motor Pilot	
CY2018	NTG: 0.89 Similar to SBES, high-end delivery system.
CY2019	NTG: 0.92 Free-Ridership: 0.10 Spillover: 0.02 Non-Participant Spillover: 0.00 Source Free-Ridership and Spillover: SBES, high-end delivery system

Weidt Group New Construction	
CY2018	NTG: 0.77 Based upon New Construction.
CY2019	NTG: 0.68 Based upon Non-Residential New Construction

Regression Based EM&V Analysis

EM&V impact analysis (regression) will estimate net savings, not adjusted gross therefore EM&V does not calculate a NTG ratio that could be applied prospectively for the following programs:

- Home Energy Report (RCT regression evaluation)
- Seasonal Savings (RED regression evaluation)

Programs No Longer Active

	Advanced Power Strips for Commercial
CY2018	NTG: 0.90 Secondary research, assuming DI.

	PlotWatt Quick Serve Restaurant Optimization
CY2018	NTG: NA EM&V impact analysis (regression) will create net savings, not adjusted gross therefore EM&V does not calculate a NTG ratio that could be applied prospectively.

	Alltemp Advanced Refrigerant Pilot
CY2018	NTG: 0.89 Similar to SBES, high-end delivery system.

	Q-Coefficient Thermal Mass Energy Efficiency Pilot
CY2018	NTG: 0.91 Similar to RCx.

	Direct To Consumer Kits
EPY8	NTG = 0.94 based upon Ameren MO, Home Energy Kits (May 2014)
EPY9	NTG = 0.94 NTG Source: Based upon EPY8 Recommendations due to no new research in PY7.
CY2018	Program not active in PY10.

PY6 Third-Party Programs

The calculated NTG values from PY6 and evaluator recommendations are as follows:

- Willdan Sustainable Schools (ended in PY6): 0.95, FR: 0.05
- RLD C&I Thermostats (ended in PY6): 1.0
- RSG Computer (ended in PY6): 0.95, FR: 0.05
- One Change (ended in PY6): 0.60, FR: 0

IPA Programs for PY8

IPA Program:	PY8 NTG	Reasoning
Home Energy Reports	NA	Regression-based impact
Small Business Energy Savings	0.95	Based upon past research on this program
Great Energy Stewards	NA	Regression-based impact
Small Comm. HVAC Tune-Up	0.90	Secondary research by Navigant last year
CUB Energy Saver	NA	Regression-based impact
Elevate All-Electric Heat Multifamily	See Below	See values below
CLEARresult Schools DI	0.95	Based upon Willdan
Matrix Demand-Based Fan Control	0.89	Ameren recommendation based upon Ameren SBDI evaluation, covers wide range of building types.

IPA Program:	PY8 NTG	Reasoning
LED Street Lighting	1.00	Participants have no ability to implement without ComEd's assistance
Matrix K through 12 Private Schools	0.95	Based upon Willdan
Sodexo DCV	0.87	National Grid, RI Tech. Resource Manual 2014, p. B-7
Multi-Family Elevate DI CFL Common Areas	0.95	Evaluation research using secondary sources
Multi-Family Elevate CFL Non-Common Areas	0.98	Evaluation research using secondary sources
Multi-Family Elevate CFL Public Event	0.62	Evaluation research using secondary sources
Multi-Family Elevate Power Strip DI	0.95	Evaluation research using secondary sources
Multi-Family Elevate Programmable Thermostat	0.95	Evaluation research using secondary sources
Multi-Family Elevate Power Strip Public Event	0.86	Evaluation research using secondary sources
Multi-Family Elevate Water Measures	0.93	Evaluation research using secondary sources
Multi-Family Elev. Wall Mounted Occupancy Sensor	0.95	Evaluation research using secondary sources
Multi-Family Elevate T12	0.95	Evaluation research using secondary sources
Multi-Family Elevate Insulation	0.95	Evaluation research using secondary sources
Multi-Family Elevate Comprehensive Non-CFL	0.95	Evaluation research using secondary sources

IPA Programs for PY9

IPA Program:	PY9 NTG	Reasoning
CLEAResult Schools DI	0.95	Based upon Willdan Sustainable Schools PY6
LED Street Lighting	1.00	Evaluation
Matrix Demand-Based Fan Control	0.89	Ameren SBDI research
Matrix K through 12 Private Schools DI	0.95	based upon Willdan Sustainable Schools PY6
Sodexo DCV – Demand Control Ventilation	0.87	National Grid – RI Tech Resource Manual 2014, page B-7
Pulse Energy <100 kW	1.00	
Root 3	0.95	Based upon PY6 RCx
Home Energy Reports	NA	Regression analysis so NTG=NA
CUB Energy Saver	NA	Regression analysis so NTG=NA
Great Energy Stewards	NA	Regression analysis so NTG=NA
Multi-Family Elevate DI CFL Common Areas	0.95	Based on Multi-Family research
Multi-Family Elevate CFL Public Event	0.62	Based on Multi-Family research
Multi-Family Elevate CFL Non-Common Areas	0.98	Based on Multi-Family research
Multi-Family Elevate Power Strip DI	0.95	Based on Multi-Family research

IPA Program:	PY9 NTG	Reasoning
Multi-Family Elevate Power Strip Public Event	0.86	Based on Multi-Family research
Multi-Family Elevate Programmable Thermostat	0.95	Based on Multi-Family research
Multi-Family Elevate Water Measures	0.93	Based on Multi-Family research
Multi-Family Elevate Wall Mounted Occupancy Sensor	0.95	Based on Multi-Family research
Multi-Family Elevate T12	0.95	Based on Multi-Family research
Multi-Family Elevate Insulation	0.95	Based on Multi-Family research
Multi-Family Elevate Comprehensive Non-CFL	0.95	Based on Multi-Family research
Bidgely	NA	Regression-based impact
Meter Genius	NA	Regression-based impact
Luminaire Level Lighting Control	0.90	Similar to SBES and this is a high-end delivery system
Community Based CFL Distribution	1.0	Low Income delivery, similar to low income kits
Assisted & Sr. Living	0.95	Similar to ComEd MF Comprehensive
Rural Small Biz EE Kits	0.90	Similar to Ameren SB (0.89), rounded up
Agricultural EE Lighting	0.90	Similar to Ameren SB (0.89), rounded up
Agricultural EE Non-Lighting	0.90	Similar to Ameren SB (0.89), rounded up
Lit Signage	0.90	Similar to Ameren SB (0.89), rounded up
Efficient Products (STEP)	0.96	Expansion of DCEO program with 0.96 NTG
SEDEC – Enhanced Building Optimization	0.95	Based upon ComEd RCx PY7 NTG Research
Low-Income Kits	1.0	Low income delivery, similar to low income kits
Low-Income MF	1.0	Low income delivery, similar to low income kits
Root 3	0.95	Similar to RCs, based upon RCx for PY9