

IL TRM TAC SharePoint User's Guide

February 2013

Vermont Energy Investment Corporation



Some helpful tips...

- Always use Internet Explorer as your browser when opening the IL SharePoint site
- Always be sure to save changes to your Word document by pressing "Save" not "Save As." This will automatically update the file on the SharePoint site
- Direct any questions about the IL TRM TAC site to Nikki Clace at: iltrmadministrator@veic.org



SharePoint Log In

https://portal.veic.org

Enter Username and Password, as shown below.

Bhttp://portal.veic.org/projects/illinoistrm/_layouts/closeConnection.aspc?/	oginasanotheruservtr - Windows Internet Explorer	6 Ø 8
😋 🔘 🔹 🙋 http://portal.veic.org/projects//ilinoistrim/_layouts/closeCor	mection.asps?loginasanothervaerstrue&Sourceshttp?\3A%3P%2Fpostal%2Eveic%2Eorg%2Fprojects%2	- 🖯 47 🗙 🖾 Bing 🖉 🖓 -
x Convert - 🔂 Select		
🙀 Favorites 🛛 🎪 🌄 Finance Support Inhos 🝙 Home - Rhode Island EER	🐭 😰 Home - Illinois Statewide 💷 🔂 NEEP - Home 🔚 Cisco Unified Call Myr 😰 Web Slice Galle	ny •
O http://portal.veic.org/projects/illinoistrm/_layout_		💁 = 🔝 = 🖂 👼 = Page = Safety = Tools = 📦 = "
Waiting for http://portal.vec.org/projects//linoistem/_layouts/accessdenied.as	Windows Security Connecting to portal veic.org. User name Password Domain: VDC Persient VDC Remember my credentials CK Cancel	Local intranet Protected Mode: Off



VEIC Contact Information





new measure here Sign up for alerts here - alerts will inform you via email that a new measure has been added K→ with the provided and the second v%20View.aspx 🔻 🖄 🍫 🗙 💽 Bing Q -🗴 🍕 Convert 🔻 🛃 Select 🚖 Favorites 🔊 Home - Illinois Statewide ... 👑 Cisco Unified Call Mgr 🏿 🔊 b Slice Gallery -🖄 🕶 🔝 📼 🚍 🛥 Page 🕶 Safety 🕶 Tools 🕶 🔞 🕶 () TRM Request Tracker - Summary View Velcome Nikki Clace 🝷 📔 🔞 🕌 Illinois Statewide TRM This List: TRM Request Tracker 👻 P VEIC's Portal Pro The Vine Site Actions * Illinois Statewide TRM > TRM Request Tracker C's Portal > Project RM Request Tracker View All Site Content Actions * New 🔹 View: Summary View * Documents Section or Measure Name TRM Section Status Request Summary Greated Shared Documents C&I HVAC End Use Package Terminal Air Conditioner (PTAC) and 4.4.13 Open Heating Savings for PTACs Change to existing (1) High T. Hink Alicon III 10/4/2012 4:53 PM Find an existing Package Terminal Heat Pump (PTHP) Hollingsworth Lists I0/9/2012 8:59 AM Cât Low Flow Faucet Aerators Ouestion/Clarification Andrew Kotila & Jeff Hot Water End Use 4.3.2 Open Low Flow Faucet Aerator Characterization (1) High Nicor & ComEd Sam Dent Calendar measure or log a Tasks C&I Hot Water Low Flow Showerheads 4.3.3 Section 4.3.3 - Footnote 185 does not exist. Change to existing (1) High Andrew Kotila Nicor Sam Dent I0/9/2012 9:01 AM Open TRM Dev iation Tracke measure new measure here C&I Food Service Strip Curtain for Walk-in Coolers and Freezers 4.6.7 Per door savings versus per square foot for Strip Change to existing (1) High T. Hink GDS Alison I0/9/2012 9:42 AM Open TRM Request Tracker Equipment End Use Holingsworth measure Discussions C&I Hot Water End Use Tankless Water Heater incremental cost source Change to existing (1) High T. Hink GDS I0/9/2012 9:45 AM Tankless Water Heater 4.3.4 Open Current Program Year Holingsworth TRM Update C&I HVAC End Use High Efficiency Boiler 4.4.10 Open Should there be different minimum efficiencies for Change to existing (1) High T. Hinks GDS Alison LØ. 10/9/2012 11:38 AM Hollingsworth Team Discussion hot water and steam boilers to qualify for the measure asure? People and Groups C&I Food Service Commercial Steam Cooker 4.2.3 Open Clarification of Hours/day and CE values Question/Clarification (1) High Stefano Galiasso Energy Resources Center Alison III 10/16/2012 12:39 PM Equipment End Use Holingsworth Recycle Bin C&I Food Service High Efficiency Pre-Rinse Spray Valve 4.2.11 Open Electric savings example Ouestion/Clarification (1) High Stefano Galiasso Energy Resources Center Alison @ 10/16/2012 12:43 PM Equipment End Use Hollingsworth Clarification of ∆kW algorithm Question/Clarification 10/16/2012 12:47 PM C&I HVAC End Use High Efficiency Furnace 4.4.11 Open (1) High Stefano Galiasso Energy Resources Center Alison Hollingsworth C&I HVAC End Use Steam Trap Replacement or Repair 4.4.15 Research the maximum theoretical steam loss per trap. Specifically for MF bldgs and apts. Question/Clarification (1) High Wade Morehead / Ameren / People's Alison I0/30/2012 10:46 AM Open George Roeme Holingsworth C&I High Efficiency Furnace High Efficiency Furnace Baseline Clarification & Wade Morehead / 10/30/2012 11:18 AM HVAC End Use 4.4.11 Change to existing (1) High Gas Working Group Alison Open Applicability to Early Replacement Programs. George Roemer Holingsworth measure Update All Lighting Measures for ComEd & Nicor Navigant for ComEd & Nicor @ 12/17/2012 1:10 PM Cat Lighting End Use Lighting End Use 4.5 Open Change to existing (1) High J. Erickson Sam Dent measure Navigant for People's/North I2/17/2012 1:14 PM C&I HVAC End Use Process Boiler Tune-up 4.4.3 Open Boiler Tune Up Change to existing (1) High J. Erickson Alison Shore, ComEd and Nico Hollingsworth C8I LED Exit Signs 4.5 Open LED Exit Signs for ComEd & Nicor C&I Programs Navigant for ComEd and Nicor I2/17/2012 1:31 PM Lighting End Use New measure request (1) High J. Erickson Alison Holingsworth C&I Lighting End Use Open Fluorescent Delamping New measure request (1) High Roger Baker ComEd Sam Dent I/11/2013 1:58 PM C&I Lighting End Use GDS Associates Sam Dent I/11/2013 5:17 PM Open New measure request for switching controls for New measure request (1) High Rich Hackner multi-level lighting C&I HVAC End Use New measure request (1) High Rich Hackner GDS Associates I/11/2013 5:19 PM Open New measure request for dual enthalpy Alison Hollingsworth C&I GDS Associates Alison I/11/2013 5:21 PM I/11/2013 I/11 I/11/2013 I/11/2013 I/11 I/11/2013 I/11/201 I/11 I/11/201 I/11/201 I/11 I/11/201 Miscellaneous End Open New measure request for radiant heater bands New measure request (1) High Rich Hackner Holingsv C&I HVAC End Use GDS Associates I/11/2013 5:24 PM Open New measure request for high efficiency pumps New measure request (1) High Rich Hackner Alison Hollingsworth Miscellaneous End New measure request (1) High Rich Hackner I/11/2013 5:58 PM C&I Open New measure request for Insulated Pellet Dryers GDS Associates (Ameren) Alison http://portal.veic.org/projects/illinoistrm/Lists/TRM%20Request%20Tracker/Summary%20View.aspx 🖓 🔻 🔍 100% 🔻 👊 Local intranet | Protected Mode: Off

Log a request for a



Edit tracker item here		Comments added from			
1	Sign up for email alerts	work paper noted here			
	/				
FIRM Request Tracker - Heating Savings for PTACs - Windows Internet Explore	er				
C C C Attp://portal.veic.org/projects/illinoistrm/Lists/TRM%20Requ	est%20Tracker/Disprorm.aspx?ID=13&Source=http%3A%2F%2Fportal%2Eveic%2Eorg%2Fprojects%2Fillinoistrm%2FLists%2FTRM%2520Request%2520Tracker%2 💌 🗟	🔩 🔎 🖸 Bing 🖉 🖉			
🗙 🍓 Convert 👻 🔂 Select					
🖕 Favorites 🛛 🖕 🔊 Home - Illinois Statewide 🕍 Cisco Unified Call Mg	r 🔊 Web Site Gallery 🕶				
TRM Request Tracker - Heating Savings for PTACs		👔 🕶 🔜 🖶 🖛 🕶 Page 🕶 Safety 🕶 Tools 🕶 🕢 😁			
	ating Savings for DTACs				
TRM Request fracker. He	aking Savings for PTACS				
		Close			
Request Summary	Heating Savings for PTACs				
Requester Name	T. Hink				
Requester Company					
Request Type	Change to existing measure				
TRM Section	4.4.13				
Market	C&I	Measure resolution			
End Use	HVAC End Use	Ivicasule resolution			
Section or Measure Name	Package Terminal Air Conditioner (PTAC) and Package Terminal Heat Pump (PTHP)	comments found here			
Measure Code	CI-HVC-PTAC-V01-120601				
Comment or	COPbase is not specified for PTACs. [Original comment.]				
Recommendation	I added my comments to the workpaper on 1/15/13. [S. Enterline, 1/15/13]	(Note author name			
Priority	(1) High				
Status	Open	and date entered)			
Assigned To	Alison Hollingsworth				
Resolution	Need to add clarification in TRM. PTACs heat by electric resistance and therefore have an efficiency of 1.0. Therefore only cooling savings are available for PTAC units. [C. corall, 10/91/12] TRM orinigally referenced IECC 2006 which used Heating Seasonal				
	Performance Factor (HSPF) for smaller units. IECC 2009 uses only EER and SEER. The savings algorithms were updated in attached Errata				
	Review workpaper and errata [A Hollingsworth 1/8/13]				
	Revised Measure Presented to TAC 1-22-13 [AHollingsworth]				
Date Presented to TAC	1/22/2013				
Change to TRM?	Yes	Work Paper and			
Change Effective for PY Starting		Proposed Frrata			
Work Paper Completed	Yes				
Revision Completed	Yes	posted here			
Attachments	Illinois_Statewide_TRM_Workpaper_PTAC Nov 20.docx				
Created at 10/4/2012 4:53 PM by Kristin Dearborn Last modified at 1/23/2013 5:02 PM by Alison Holingswo	th	Close			
	Qu Local	intranet Protected Mode: Off 🛛 🖓 👻 🏵 100% 👻			



	Save comments/changes by pressing this button DO NOT "Save As"	Illinois_Statewide Developer New Arrange Split Window All
Image: Source Web Outline Date Image: Source Web Outline Date	Procession Procession <th> Window Ait Window Window Wi</th>	 Window Ait Window Window Wi
	ngi tir M	

			Illinois	_Statewide_T	RM_Workpaper	PTAC Nov 20	.docx - Mi	crosoft Word		
٦	Develope	r								
				View Si	de by Side					
h	New A Window	Arrange	Split	€ Reset V	Vindow Position	Switch Windows *	Macros			
				Window			Macros			
	1 4 .		5	1 6	· <u>k</u> · · · · 7 · · ·					
ľ										
I		Illinois !	Statewide 1	echnical Refere	nce Manual – Work F	aper Format				
l									_	
l		3 R	≀eferen	ces						
I		Please	refer to the	Chicago style fo	r how to format citat	ions for different	sources.			
l		http://v	www.chicag	comanualofstyle.	org/tools citationgui	<u>de.html</u>				
l		1.	Citation 1							
l		2. 3.	Citation 2 Citation 3							
l		SECTION	v 1.X							
l		1.	Citation 1							
I		2. 3.	Citation 2 Citation 3							
l		4 S	stakehol	der Comn	nent Section					
l		4.1	Stakeho	lder X		<				
l		Comme	ents are the	se				_		Stakabaldara
l		4.2	Stakeho	lder Y						Stakenoluers
l		Comme	ents are tho	se						Insert
l										comments
l										here on work
l										paper
I										h - h
l										
l										
l										
					Page	12 of 12			-	

Be sure to include comments from work paper in tracker "comments" field



	TRM Request Tracker - Heating Savings for PTACs - Windows Int						
	Convert = Select	NN ALVREQUESTADU HSCKEY/SILTYOIM ASJALUASISADUVICE INDIANALEVISCHALFORD ALZ POPULATION SALVING S					
	Favorites						
	TRM Request Tracker - Heating Savings for PTACs	🛅 🔻 🗟 👻 🖃 🖶 Page ¥ Safety ¥ Tools ¥ 🚱 *					
	Request Summary *	Heating Savings for PTACs					
	Requester Name	T. Hink					
	Requester Company						
	Request Type	Change to existing measure 👻					
	TRM Section	4.4.13 • • • If this is a change request or question, please indicate which TRM section it relates to.					
	Market						
	End Use	HVAC End Use					
	Section or Measure Name	Package Terminal Air Conditioner (P •					
	Measure Code	CI-HVC-PTAC-V01-120601 ·					
	Comment or Recommendation	COPbase is not specified for PTACs. [Original comment.]					
	Priority	(1) High 🔹					
	Status	Resolved - ** VEIC Use Only **					
Comment received;	Assigned To	Alison Hollingsworth					
Discussed with TAC; Revisions incorporated; Measure is final.	Resolution	Need to add clarification in TRM, PTACe heat by electric resistance and therefore have an efficiency of 1.0. Therefore electric objects of the therefore and therefore have an efficiency of 1.0. Therefore electric objects of the therefore electr					
	Date Presented to TAC	1/22/2013					
	Change to TRM?	V ** VEIC Use Only **					
	Change Effective for PY Starting	g v v v v v v v v v v v v v v v v v v v					
	Work Paper Completed	Ø.					
	Revision Completed	2					
	Attachments	Illinois_Statewide_TRM_Wiorkpaper_PTAC.Nov 20.docx					
	Created at 10/4/2012 4:53 PM by Kristin D Last modified at 1/23/2013 5:02 PM by Alis	Section Society OK Cancel					
	Done	💊 Local intranet Protected Mode: Off 🛛 🐔 👻 🍕 100% 👻					